



Cores Catalogue

INDEX

Industrial Charge Air	1	Hino	50	SMV	92
Industrial Cores	4	Hitachi	51	Steiger	93
Allis Chalmers	14	Hobart	52	Terex (Franna)	94
Atkinson	15	Hyster	53	Toyota	95
Atlas Copco	16	Inter' McCormack	54	Trackchief	96
Austral Domino	17	Industrial	55	Volvo	97
Austoft	18	International	56	Wabco	98
Autocar	19	Isuzu	61	Western Star	99
Bearward	20	John Deere	62	White	100
P.J. Berriman	21	Kato	63	Zetor	101
Blaw Knox	22	Kenworth	64		
Broomwade	23	Koering	69		
Bucyrus Erie	24	Komatsu	70		
Case	25	Leader	71		
Caterpillar	26	Leyland	73		
Chamberlain	30	Libra	74		
Clark	31	Linmac	75		
Cletrac	32	Mack	76		
Comeco	33	Massey Ferguson	78		
Compair	34	Mercedes Benz	79		
Covrad	36	Michigan	80		
Crane Carrier	37	Onan	81		
Cummins Industrial	38	Oshkosh	83		
Denning	41	P & H	84		
Diamond T	42	Perfex	85		
Domino (Mining)	43	Perkins Industrial	86		
Eimco	44	Peterbilt	87		
Euclid	45	Ramaca	88		
Fiat	46	R.F.W.	89		
Ford (Truck)	47	Scania	90		
Freightliner	49	Serck	91		



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CAF1726	DAW		847	1060	201	7	TUBE	1124 x 292	1124 x 292	GASKET KIT SP-930/SC-92K OR SP-930/C6327K
CAF1738	INDUSTRIAL CA		808	840	74	5.5	TUBE	902 x 178	902 x 178	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K
CAF1782	INDUSTRIAL CA		838	590	99	9	TUBE	644 x 178	644 x 178	GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
CAF1795	INDUSTRIAL CA		731	750	99	9	TUBE	816 x 178	816 x 178	GASKET KIT SP-1468/SC-92K OR SP-1468/C6327K
CAF1820	INDUSTRIAL CA AIR RAD B12		1048	1030	99	9	TUBE	1105 x 178	1105 x 178	GASKET KIT SP-377/SC-92K OR SP-377/C6327K
CAF1843	INDUSTRIAL CA AIR RAD W10 x W11 2 PASS - OB		889	870	99	5.5	TUBE	945 x 178	945 x 178	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K
CAF1845	INDUSTRIAL CA AIR RAD W10 x W11 2 PASS - OB		889	870	74	5.5	TUBE	945 x 178	945 x 178	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K
CAF1847	INDUSTRIAL CA AIR RAD W10 x W11 2 PASS - SC		889	870	99	5.5	TUBE	945 x 178	945 x 178	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K
CAF1849	INDUSTRIAL CA AIR RAD W10 x W11 2 PASS - SC		889	870	74	5.5	TUBE	945 x 178	945 x 178	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K
CAF1861	INDUSTRIAL CA AIR RAD S7 x S4		737	580	74	5.5	TUBE	644 x 140	644 x 140	GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
CAF1864	INDUSTRIAL CA AIR RAD W10 x W4		889	590	99	9	TUBE	644 x 178	644 x 178	GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
CAF1913	INDUSTRIAL CHARGE AIR AIR RAD S7 x S3		737	540	74	5.5	TUBE	601 x 140	601 x 140	GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
CAF1987	COVRAD GEN SET		890	890	74	5.5	TUBE	940 x 130	940 x 130	GASKET NOT TOOLED
CAF2007	INDUSTRIAL CA		1218	460	99	7	TUBE	516 x 178	516 x 178	GASKET NOT TOOLED
CAF2014	INDUSTRIAL CA		1067	410	99	7	TUBE	480 x 180	480 x 180	GASKET NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CAF2015	INDUSTRIAL CA		1067	1060	99	5.5	TUBE	1118 x 220	1118 x 220	GASKETS NOT TOOLED
CAF2016	INDUSTRIAL CA		1219	1120	99	5.5	TUBE	1194 x 220	1194 x 220	GASKETS NOT TOOLED
CAF2032	INDUSTRIAL CA		1219	220	150	7	TUBE	284 x 232	284 x 232	GASKETS NOT TOOLED
CAF2037	INDUSTRIAL CA		801	750	99	5.5	TUBE	825 x 180	825 x 180	GASKETS NOT TOOLED
CAF2038	INDUSTRIAL CA		800	1540	201	5.5	TUBE	1600 x 320	1600 x 320	GASKETS NOT TOOLED
CAF2046	INDUSTRIAL CA		965	320	150	7	TUBE	364 x 220	364 x 220	GASKETS NOT TOOLED
CAF2054	INDUSTRIAL CA		1218	460	99	7	TUBE	516 x 178	516 x 178	GASKETS NOT TOOLED
CAF2059	INDUSTRIAL CA		800	810	99	5.5	TUBE	890 x 180	890 x 180	GASKETS NOT TOOLED
CAF2062	INDUSTRIAL CA		1066	300	150	7	TUBE	364 x 220	364 x 220	GASKETS NOT TOOLED
CAF2069	INDUSTRIAL CA		914	910	125	7	TUBE	992 x 220	992 x 220	GASKETS NOT TOOLED
CAF2070	INDUSTRIAL CA		1219	610	125	7	TUBE	685 x 220	685 x 220	GASKETS NOT TOOLED
CAF2072	INDUSTRIAL CA		1067	1050	99	7	TUBE	1118 x 220	1118 x 220	GASKETS NOT TOOLED
CAF2073	INDUSTRIAL CA		1067	1050	125	7	TUBE	1118 x 220	1118 x 220	GASKETS NOT TOOLED
CAF2075	INDUSTRIAL CA		914	310	99	7	TUBE	383 x 180	383 x 180	GASKETS NOT TOOLED
CAF2078	INDUSTRIAL CA		1067	810	99	7	TUBE	890 x 180	890 x 180	GASKET NOT TOOLED

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
CAF2079	INDUSTRIAL CA		730	500	150	7.	TUBE	575 x 240	575 x 240	GASKET NOT TOOLED	
CAF2080	INDUSTRIAL CA		1000	1120	150	5.5	TUBE	1194 x 242	1194 x 242	GASKET NOT TOOLED	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 601	SP-51/3MLF9	B SERIES SIZE 5 ULTRAFUSED 3 ROW	737	730	56	9	TUBE	805 x 178 F	805 x 178 F	GASKET KIT SP-370/SC-92K OR SP-370/C6327K
AIR 602	SP-52/4MLF9	B SERIES SIZE 5 ULTRAFUSED 4 ROW	737	730	73	9	TUBE	805 x 178 F	805 x 178 F	GASKET KIT SP-370/SC-92K OR SP-370/C6327K
AIR 603	SP-53/5MLF9	B SERIES SIZE 5 ULTRAFUSED 5 ROW	737	730	91	9	TUBE	805 x 178 F	805 x 178 F	GASKET KIT SP-370/SC-92K OR SP-370/C6327K
AIR 604	SP-56/3MLF9	B SERIES SIZE 6 ULTRAFUSED 3 ROW	781	778	56	9	TUBE	848 x 178 F	848 x 178 F	GASKET KIT SP-371/SC-92K OR SP-371/C6327K
AIR 605	SP-57/4MLF9	B SERIES SIZE 6 ULTRAFUSED 4 ROW	781	778	73	9	TUBE	848 x 178 F	848 x 178 F	GASKET KIT SP-371/SC-92K OR SP-371/C6327K
AIR 606	SP-58/5MLF9	B SERIES SIZE 6 ULTRAFUSED 5 ROW	781	778	91	9	TUBE	848 x 178 F	848 x 178 F	GASKET KIT SP-371/SC-92K OR SP-371/C6327K
AIR 607	SP-61/3MLF9	B SERIES SIZE 7 ULTRAFUSED 3 ROW	826	810	56	9	TUBE	890 x 178 F	890 x 178 F	GASKET KIT SP-372/SC-92K OR SP-372/C6327K
AIR 608	SP-62/4MLF9	B SERIES SIZE 7 ULTRAFUSED 4 ROW	826	810	73	9	TUBE	890 x 178 F	890 x 178 F	GASKET KIT SP-372/SC-92K OR SP-372/C6327K
AIR 609	SP-63/5MLF9	B SERIES SIZE 7 ULTRAFUSED 5 ROW	826	810	91	9	TUBE	890 x 178 F	890 x 178 F	GASKET KIT SP-372/SC-92K OR SP-372/C6327K
AIR 610	SP-66/3MLF9	B SERIES SIZE 8 ULTRAFUSED 3 ROW	870	857	56	9	TUBE	933 x 178 F	933 x 178 F	GASKET KIT SP-373/SC-92K OR SP-373/C6327K
AIR 611	SP-67/4MLF9	B SERIES SIZE 8 ULTRAFUSED 4 ROW	870	857	73	9	TUBE	933 x 178 F	933 x 178 F	GASKET KIT SP-373/SC-92K OR SP-373/C6327K
AIR 612	SP-68/5MLF9	B SERIES SIZE 8 ULTRAFUSED 5 ROW	870	857	91	9	TUBE	933 x 178 F	933 x 178 F	GASKET KIT SP-373/SC-92K OR SP-373/C6327K
AIR 613	SP-71/3MLF9	B SERIES SIZE 9 ULTRAFUSED 3 ROW	914	905	56	9	TUBE	976 x 178 F	976 x 178 F	GASKET KIT SP-374/SC-92K OR SP-374/C6327K
AIR 614	SP-72/4MLF9	B SERIES SIZE 9 ULTRAFUSED 4 ROW	914	905	73	9	TUBE	976 x 178 F	976 x 178 F	GASKET KIT SP-374/SC-92K OR SP-374/C6327K
AIR 615	SP-73/5MLF9	B SERIES SIZE 9 ULTRAFUSED 5 ROW	914	905	91	9	TUBE	976 x 178 F	976 x 178 F	GASKET KIT SP-374/SC-92K OR SP-374/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 616	SP-76/3MLF9	B SERIES SIZE 10 ULTRAFUSED 3 ROW	959	937	56	9	TUBE	1019 x 178 F	1019 x 178 F	GASKET KIT SP-375/SC-92K OR SP-375/C6327K
AIR 617	SP-77/4MLF9	B SERIES SIZE 10 ULTRAFUSED 4 ROW	959	937	73	9	TUBE	1019 x 178 F	1019 x 178 F	GASKET KIT SP-375/SC-92K OR SP-375/C6327K
AIR 618	SP-78/5MLF9	B SERIES SIZE 10 ULTRAFUSED 5 ROW	959	937	91	9	TUBE	1019 x 178 F	1019 x 178 F	GASKET KIT SP-375/SC-92K OR SP-375/C6327K
AIR 619	SP-81/3MLF9	B SERIES SIZE 11 ULTRAFUSED 3 ROW	1003	984	56	9	TUBE	1062 x 178 F	1062 x 178 F	GASKET KIT SP-376/SC-92K OR SP-376/C6327K
AIR 620	SP-82/4MLF9	B SERIES SIZE 11 ULTRAFUSED 4 ROW	1003	984	73	9	TUBE	1062 x 178 F	1062 x 178 F	GASKET KIT SP-376/SC-92K OR SP-376/C6327K
AIR 621	SP-83/5MLF9	B SERIES SIZE 11 ULTRAFUSED 5 ROW	1003	984	91	9	TUBE	1062 x 178 F	1062 x 178 F	GASKET KIT SP-376/SC-92K OR SP-376/C6327K
AIR 622	SP-86/3MLF9	B SERIES SIZE 12 ULTRAFUSED 3 ROW	1048	1032	56	9	TUBE	1105 x 178 F	1105 x 178 F	GASKET KIT SP-377/SC-92K OR SP-377/C6327K
AIR 623	SP-87/4MLF9	B SERIES SIZE 12 ULTRAFUSED 4 ROW	1048	1032	73	9	TUBE	1105 x 178 F	1105 x 178 F	GASKET KIT SP-377/SC-92K OR SP-377/C6327K
AIR 624	SP-88/5MLF9	B SERIES SIZE 12 ULTRAFUSED 5 ROW	1048	1032	91	9	TUBE	1105 x 178 F	1105 x 178 F	GASKET KIT SP-377/SC-92K OR SP-377/C6327K
AIR 625	SP-91/3MLF9	B SERIES SIZE 13 ULTRAFUSED 3 ROW	1092	1080	56	9	TUBE	1148 x 178 F	1148 x 178 F	GASKET KIT SP-378/SC-92K OR SP-378/C6327K
AIR 626	SP-92/4MLF9	B SERIES SIZE 13 ULTRAFUSED 4 ROW	1092	1080	73	9	TUBE	1148 x 178 F	1148 x 178 F	GASKET KIT SP-378/SC-92K OR SP-378/C6327K
AIR 627	SP-93/5MLF9	B SERIES SIZE 13 ULTRAFUSED 5 ROW	1092	1080	91	9	TUBE	1148 x 178 F	1148 x 178 F	GASKET KIT SP-378/SC-92K OR SP-378/C6327K
AIR 628	SP-96/3MLF9	B SERIES SIZE 14 ULTRAFUSED 3 ROW	1137	1111	56	9	TUBE	1190 x 178 F	1190 x 178 F	GASKET KIT SP-379/SC-92K OR SP-379/C6327K
AIR 629	SP-97/4MLF9	B SERIES SIZE 14 ULTRAFUSED 4 ROW	1137	1111	73	9	TUBE	1190 x 178 F	1190 x 178 F	GASKET KIT SP-379/SC-92K OR SP-379/C6327K
AIR 630	SP-98/5MLF9	B SERIES SIZE 14 ULTRAFUSED 5 ROW	1137	1111	91	9	TUBE	1190 x 178 F	1190 x 178 F	GASKET KIT SP-379/SC-92K OR SP-379/C6327K

INDUSTRIAL CORES



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 631	SP-101/3MLF9	B SERIES SIZE 15 ULTRAFUSED 3 ROW	1181	1159	56	9	TUBE	1233 x 178 F	1233 x 178 F	GASKET KIT SP-380/SC-92K OR SP-380/C6327K
AIR 632	SP-102/4MLF9	B SERIES SIZE 15 ULTRAFUSED 4 ROW	1181	1159	73	9	TUBE	1233 x 178 F	1233 x 178 F	GASKET KIT SP-380/SC-92K OR SP-380/C6327K
AIR 633	SP-103/5MLF9	B SERIES SIZE 15 ULTRAFUSED 5 ROW	1181	1159	91	9	TUBE	1233 x 178 F	1233 x 178 F	GASKET KIT SP-380/SC-92K OR SP-380/C6327K
AIR 634	SP-642/3MLF9	B SERIES SIZE 16 ULTRAFUSED 3 ROW	1230	1238	56	9	TUBE	1319 x 178 F	1319 x 178 F	GASKET KIT SP-621/SC-92K OR SP-621/C6327K
AIR 635	SP-643/4MLF9	B SERIES SIZE 16 ULTRAFUSED 4 ROW	1230	1238	73	9	TUBE	1319 x 178 F	1319 x 178 F	GASKET KIT SP-621/SC-92K OR SP-621/C6327K
AIR 636	SP-644/5MLF9	B SERIES SIZE 16 ULTRAFUSED 5 ROW	1230	1238	91	9	TUBE	1319 x 178 F	1319 x 178 F	GASKET KIT SP-621/SC-92K OR SP-621/C6327K
AIR 637	SP-647/3MLF9	B SERIES SIZE 17A ULTRAFUSED 3 ROW	603	1286	56	9	TUBE	1362 x 178 F	1362 x 178 F	GASKET KIT SP-622/SC-92K OR SP-622/C6327K
AIR 638	SP-648/4MLF9	B SERIES SIZE 17A ULTRAFUSED 4 ROW	603	1286	73	9	TUBE	1362 x 178 F	1362 x 178 F	GASKET KIT SP-622/SC-92K OR SP-622/C6327K
AIR 639	SP-649/5MLF9	B SERIES SIZE 17A ULTRAFUSED 5 ROW	603	1286	91	9	TUBE	1362 x 178 F	1362 x 178 F	GASKET KIT SP-622/SC-92K OR SP-622/C6327K
AIR 640	SP-652/3MLF9	B SERIES SIZE 18A ULTRAFUSED 3 ROW	648	1365	56	9	TUBE	1448 x 178 F	1448 x 178 F	GASKET KIT SP-623/SC-92K OR SP-623/C6327K
AIR 641	SP-653/4MLF9	B SERIES SIZE 18A ULTRAFUSED 4 ROW	648	1365	73	9	TUBE	1448 x 178 F	1448 x 178 F	GASKET KIT SP-623/SC-92K OR SP-623/C6327K
AIR 642	SP-654/5MLF9	B SERIES SIZE 18A ULTRAFUSED 5 ROW	648	1365	91	9	TUBE	1448 x 178 F	1448 x 178 F	GASKET KIT SP-623/SC-92K OR SP-623/C6327K
AIR 643	SP-1201/2ML9	S SERIES SIZE 1, 2 ROW	483	460	38	9	TUBE	516 x 140 F	516 x 140 F	GASKET KIT SP-1281/SC-92K OR SP-1281/C6327K
AIR 644	SP-1202/2ML9	S SERIES SIZE 2, 2 ROW	533	492	38	9	TUBE	559 x 140 F	559 x 140 F	GASKET KIT SP-1282/SC-92K OR SP-1282/C6327K
AIR 645	SP-1203/2ML9	S SERIES SIZE 3, 2 ROW	559	540	38	9	TUBE	601 x 140 F	601 x 140 F	GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K

INDUSTRIAL CORES



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 646	SP-1204/2ML9	S SERIES SIZE 4, 2 ROW	610	587	38	9	TUBE	644 x 140 F	644 x 140 F	GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
AIR 647	SP-1205/2ML9	S SERIES SIZE 5, 2 ROW	635	619	38	9	TUBE	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
AIR 648	SP-1206/2ML9	S SERIES SIZE 6, 2 ROW	686	667	38	9	TUBE	730 x 140 F	730 x 140 F	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
AIR 649	SP-1207/2ML9	S SERIES SIZE 7, 2 ROW	737	714	38	9	TUBE	773 x 140 F	773 x 140 F	GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K
AIR 650	SP-1208/2ML9	S SERIES SIZE 8, 2 ROW	787	746	38	9	TUBE	816 x 140 F	816 x 140 F	GASKET KIT SP-1288/SC-92K OR SP-1288/C6327K
AIR 651	SP-1209/2MLF9	S SERIES SIZE 9, ULTRAFUSED 2 ROW	838	794	38	9	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
AIR 652	SP-1210/2MLF9	S SERIES SIZE 10, ULTRAFUSED 2 ROW	889	841	38	9	TUBE	902 x 140 F	902 x 140 F	GASKET KIT SP-1290/SC-92K OR SP-1290/C6327K
AIR 653	SP-1211/3ML9	S SERIES SIZE 1, 3 ROW	483	460	56	9	TUBE	516 x 140 F	516 x 140 F	GASKET KIT SP-1281/SC-92K OR SP-1281/C6327K
AIR 654	SP-1212/3ML9	S SERIES SIZE 2, 3 ROW	533	492	56	9	TUBE	559 x 140 F	559 x 140 F	GASKET KIT SP-1282/SC-92K OR SP-1282/C6327K
AIR 655	SP-1213/3ML9	S SERIES SIZE 3, 3 ROW	559	540	56	9	TUBE	601 x 140 F	601 x 140 F	GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
AIR 656	SP-1214/3ML9	S SERIES SIZE 4, 3 ROW	610	587	56	9	TUBE	644 x 140 F	644 x 140 F	GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
AIR 657	SP-1215/3ML9	S SERIES SIZE 5, 3 ROW	635	619	56	9	TUBE	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
AIR 658	SP-1216/3ML9	S SERIES SIZE 6, 3 ROW	686	667	56	9	TUBE	730 x 140 F	730 x 140 F	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
AIR 659	SP-1217/3ML9	S SERIES SIZE 7, 3 ROW	737	714	56	9	TUBE	773 x 140 F	773 x 140 F	GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K
AIR 660	SP-1218/3ML9	S SERIES SIZE 8, 3 ROW	787	746	56	9	TUBE	816 x 140 F	816 x 140 F	GASKET KIT SP-1288/SC-92K OR SP-1288/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 661	SP-1219/3MLF9	S SERIES SIZE 9, ULTRAFUSED 3 ROW	838	794	56	9	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
AIR 662	SP-1220/3MLF9	S SERIES SIZE 10, ULTRAFUSED 3 ROW	889	841	56	9	TUBE	902 x 140 F	902 x 140 F	GASKET KIT SP-1290/SC-92K OR SP-1290/C6327K
AIR 663	SP-1221/4ML9	S SERIES SIZE 1, 4 ROW	483	460	73	9	TUBE	516 x 140 F	516 x 140 F	GASKET KIT SP-1281/SC-92K OR SP-1281/C6327K
AIR 664	SP-1222/4ML9	S SERIES SIZE 2, 4 ROW	533	492	73	9	TUBE	559 x 140 F	559 x 140 F	GASKET KIT SP-1282/SC-92K OR SP-1282/C6327K
AIR 665	SP-1223/4ML9	S SERIES SIZE 3, 4 ROW	559	540	73	9	TUBE	601 x 140 F	601 x 140 F	GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
AIR 666	SP-1224/4ML9	S SERIES SIZE 4, 4 ROW	610	587	73	9	TUBE	644 x 140 F	644 x 140 F	GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
AIR 667	SP-1225/4ML9	S SERIES SIZE 5, 4 ROW	635	619	73	9	TUBE	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
AIR 668	SP-1226/4ML9	S SERIES SIZE 6, 4 ROW	686	667	73	9	TUBE	730 x 140 F	730 x 140 F	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
AIR 669	SP-1227/4ML9	S SERIES SIZE 7, 4 ROW	737	714	73	9	TUBE	773 x 140 F	773 x 140 F	GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K
AIR 670	SP-1228/4ML9	S SERIES SIZE 8, 4 ROW	787	746	73	9	TUBE	816 x 140 F	816 x 140 F	GASKET KIT SP-1288/SC-92K OR SP-1288/C6327K
AIR 671	SP-1229/4MLF9	S SERIES SIZE 9, ULTRAFUSED 4 ROW	838	794	73	9	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
AIR 672	SP-1230/4MLF9	S SERIES SIZE 10, ULTRAFUSED 4 ROW	889	841	73	9	TUBE	902 x 140 F	902 x 140 F	GASKET KIT SP-1290/SC-92K OR SP-1290/C6327K
AIR 673	SP-1381/4ML9	W SERIES SIZE 1, 4 ROW	483	460	73	9	TUBE	516 x 178 F	516 x 178 F	GASKET KIT SP-1461/SC-92K OR SP-1461/C6327K
AIR 674	SP-1382/4ML9	W SERIES SIZE 2, 4 ROW	533	492	73	9	TUBE	559 x 178 F	559 x 178 F	GASKET KIT SP-1462/SC-92K OR SP-1462/C6327K
AIR 675	SP-1383/4ML9	W SERIES SIZE 3, 4 ROW	559	540	73	9	TUBE	601 x 178 F	601 x 178 F	GASKET KIT SP-1463/SC-92K OR SP-1463/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 676	SP-1384/4ML9	W SERIES SIZE 4, 4 ROW	610	587	73	9	TUBE	644 x 178 F	644 x 178 F	GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
AIR 677	SP-1385/4ML9	W SERIES SIZE 5, 4 ROW	635	619	73	9	TUBE	687 x 178 F	687 x 178 F	GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
AIR 678	SP-1386/4ML9	W SERIES SIZE 6, 4 ROW	686	667	73	9	TUBE	730 x 178 F	730 x 178 F	GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
AIR 679	SP-1387/4ML9	W SERIES SIZE 7, 4 ROW	737	714	73	9	TUBE	773 x 178 F	773 x 178 F	GASKET KIT SP-1467/SC-92K OR SP-1467/C6327K
AIR 680	SP-1388/4ML9	W SERIES SIZE 8, 4 ROW	787	746	73	9	TUBE	816 x 178 F	816 x 178 F	GASKET KIT SP-1468/SC-92K OR SP-1468/C6327K
AIR 681	SP-1389/4MLF9	W SERIES SIZE 9, ULTRAFUSED 4 ROW	838	794	73	9	TUBE	859 x 178 F	859 x 178 F	GASKET KIT SP-1469/SC-92K OR SP-1469/C6327K
AIR 682	SP-1390/4MLF9	W SERIES SIZE 10, ULTRAFUSED 4 ROW	889	841	73	9	TUBE	902 x 178 F	902 x 178 F	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K
AIR 683	SP-1391/6ML9	W SERIES SIZE 1, 6 ROW	483	460	108	9	TUBE	516 x 178 F	516 x 178 F	GASKET KIT SP-1461/SC-92K OR SP-1461/C6327K
AIR 684	SP-1392/6ML9	W SERIES SIZE 2, 6 ROW	533	492	108	9	TUBE	559 x 178 F	559 x 178 F	GASKET KIT SP-1462/SC-92K OR SP-1462/C6327K
AIR 685	SP-1393/6ML9	W SERIES SIZE 3, 6 ROW	559	540	108	9	TUBE	601 x 178 F	601 x 178 F	OR SP-1463/C6327K
AIR 686	SP-1394/6ML9	W SERIES SIZE 4, 6 ROW	610	587	108	9	TUBE	644 x 178 F	644 x 178 F	GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
AIR 687	SP-1395/6ML9	W SERIES SIZE 5, 6 ROW	635	619	108	9	TUBE	687 x 178 F	687 x 178 F	GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
AIR 688	SP-1396/6ML9	W SERIES SIZE 6, 6 ROW	686	667	108	9	TUBE	730 x 178 F	730 x 178 F	GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
AIR 689	SP-1397/6ML9	W SERIES SIZE 7, 6 ROW	737	714	108	9	TUBE	773 x 178 F	773 x 178 F	GASKET KIT SP-1467/SC-92K OR SP-1467/C6327K
AIR 690	SP-1398/6ML9	W SERIES SIZE 8, 6 ROW	787	746	108	9	TUBE	816 x 178 F	816 x 178 F	GASKET KIT SP-1468/SC-92K OR SP-1468/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 691	SP-1399/6MLF9	W SERIES SIZE 9, ULTRAFUSED 6 ROW	838	794	108	9	TUBE	859 x 178 F	859 x 178 F	GASKET KIT SP-1469/SC-92K OR SP-1469/C6327K
AIR 692	SP-1400/6MLF9	W SERIES SIZE 10, ULTRAFUSED 6 ROW	889	841	108	9	TUBE	902 x 178 F	902 x 178 F	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K
AIR 693	SP-1401/5ML9	W SERIES SIZE 1, 5 ROW	483	460	108	9	TUBE	516 x 178 F	516 x 178 F	GASKET KIT SP-1461/SC-92K OR SP-1461/C6327K
AIR 694	SP-1402/5ML9	W SERIES SIZE 2, 5 ROW	533	492	108	9	TUBE	559 x 178 F	559 x 178 F	GASKET KIT SP-1462/SC-92K OR SP-1462/C6327K
AIR 695	SP-1403/5ML9	W SERIES SIZE 3, 5 ROW	559	540	108	9	TUBE	601 x 178 F	601 x 178 F	GASKET KIT SP-1463/SC-92K OR SP-1463/C6327K
AIR 696	SP-1404/5ML9	W SERIES SIZE 4, 5 ROW	610	587	108	9	TUBE	644 x 178 F	644 x 178 F	GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
AIR 696	SP-1404/5ML9	W SERIES SIZE 4, 5 ROW	610	587	108	9	TUBE	644 x 178 F	644 x 178 F	GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
AIR 697	SP-1405/5ML9	W SERIES SIZE 5, 5 ROW	635	619	108	9	TUBE	687 x 178 F	687 x 178 F	GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
AIR 698	SP-1406/5ML9	W SERIES SIZE 6, 5 ROW	686	667	108	9	TUBE	730 x 178 F	730 x 178 F	GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
AIR 699	SP-1407/5ML9	W SERIES SIZE 7, 5 ROW	737	714	108	9	TUBE	773 x 178 F	773 x 178 F	GASKET KIT SP-1467/SC-92K OR SP-1467/C6327K
AIR 6100	SP-1408/5ML9	W SERIES SIZE 8, 5 ROW	787	746	108	9	TUBE	816 x 178 F	816 x 178 F	GASKET KIT SP-1468/SC-92K OR SP-1468/C6327K
AIR 6101	SP-1409/5MLF9	W SERIES SIZE 9, ULTRAFUSED 5 ROW	838	794	108	9	TUBE	859 x 178 F	859 x 178 F	GASKET KIT SP-1469/SC-92K OR SP-1469/C6327K
AIR 6102	SP-1410/5MLF9	W SERIES SIZE 10, ULTRAFUSED 5 ROW	889	841	108	9	TUBE	902 x 178 F	902 x 178 F	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K
AIR 6103	SP-2701/3MLF9	S SERIES SIZE 11, ULTRAFUSED 3 ROW	915	873	56	9	TUBE	945 x 140 F	945 x 140 F	GASKET KIT SP-2503/SC-92K OR SP-2503/C6327K
AIR 6104	SP-2702/3MLF9	S SERIES SIZE 12, ULTRAFUSED 3 ROW	951	921	56	9	TUBE	987 x 140 F	987 x 140 F	GASKET KIT SP-2504/SC-92K OR SP-2504/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 6105	SP-2703/3MLF9	S SERIES SIZE 13, ULTRAFUSED 3 ROW	990	968	56	9	TUBE	1030 x 140 F	1030 x 140 F	GASKET KIT SP-2505/SC-92K OR SP-2505/C6327K
AIR 6106	SP-2704/3MLF9	S SERIES SIZE 14, ULTRAFUSED 3 ROW	1029	1000	56	9	TUBE	1073 x 140 F	1073 x 140 F	GASKET KIT SP-2506/SC-92K OR SP-2506/C6327K
AIR 6107	SP-2705/3MLF9	S SERIES SIZE 15, ULTRAFUSED 3 ROW	1068	1048	56	9	TUBE	1116 x 140 F	1116 x 140 F	GASKET KIT SP-2507/SC-92K OR SP-2507/C6327K
AIR 6108	SP-2706/3MLF9	S SERIES SIZE 16, ULTRAFUSED 3 ROW	1104	1095	56	9	TUBE	1159 x 140 F	1159 x 140 F	GASKET KIT SP-2508/SC-92K OR SP-2508/C6327K
AIR 6109	SP-2707/3MLF9	S SERIES SIZE 17, ULTRAFUSED 3 ROW	1143	1127	56	9	TUBE	1202 x 140 F	1202 x 140 F	GASKET KIT SP-2509/SC-92K OR SP-2509/C6327K
AIR 6110	SP-2708/3MLF9	S SERIES SIZE 18, ULTRAFUSED 3 ROW	1218	1175	56	9	TUBE	1245 x 140 F	1254 x 140 F	GASKET KIT SP-2510/SC-92K OR SP-2510/C6327K
AIR 6111	SP-2709/4MLF9	S SERIES SIZE 11, ULTRAFUSED 4 ROW	915	873	56	9	TUBE	945 x 140 F	945 x 140 F	GASKET KIT SP-2503/SC-92K OR SP-2503/C6327K
AIR 6112	SP-2710/4MLF9	S SERIES SIZE 12, ULTRAFUSED 4 ROW	951	921	56	9	TUBE	987 x 140 F	987 x 140 F	GASKET KIT SP-2504/SC-92K OR SP-2504/C6327K
AIR 6113	SP-2711/4MLF9	S SERIES SIZE 13, ULTRAFUSED 4 ROW	990	968	56	9	TUBE	1030 x 140 F	1030 x 140 F	GASKET KIT SP-2505/SC-92K OR SP-2505/C6327K
AIR 6114	SP-2712/4MLF9	S SERIES SIZE 14, ULTRAFUSED 4 ROW	1029	1000	56	9	TUBE	1073 x 140 F	1073 x 140 F	GASKET KIT SP-2506/SC-92K OR SP-2506/C6327K
AIR 6115	SP-2713/4MLF9	S SERIES SIZE 15, ULTRAFUSED 4 ROW	1068	1048	56	9	TUBE	1116 x 140 F	1116 x 140 F	GASKET KIT SP-2507/SC-92K OR SP-2507/C6327K
AIR 6116	SP-2714/4MLF9	S SERIES SIZE 16, ULTRAFUSED 4 ROW	1104	1095	56	9	TUBE	1159 x 140 F	1159 x 140 F	GASKET KIT SP-2508/SC-92K OR SP-2508/C6327K
AIR 6117	SP-2715/4MLF9	S SERIES SIZE 17, ULTRAFUSED 4 ROW	1143	1127	56	9	TUBE	1202 x 140 F	1202 x 140 F	GASKET KIT SP-2509/SC-92K OR SP-2509/C6327K
AIR 6118	SP-2716/4MLF9	S SERIES SIZE 18, ULTRAFUSED 4 ROW	1218	1175	56	9	TUBE	1245 x 140 F	1254 x 140 F	GASKET KIT SP-2510/SC-92K OR SP-2510/C6327K
AIR 6119	SP-2725/5MLF9	W SERIES SIZE 11, ULTRAFUSED 5 ROW	915	873	91	9	TUBE	945 x 178 F	945 x 178 F	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 6120	SP-2726/5MLF9	W SERIES SIZE 12, ULTRAFUSED 5 ROW	951	921	91	9	TUBE	987 x 178 F	987 x 178 F	GASKET KIT SP-2512/SC-92K OR SP-2512/C6327K
AIR 6121	SP-2727/5MLF9	W SERIES SIZE 13, ULTRAFUSED 5 ROW	990	968	91	9	TUBE	1030 x 178 F	1030 x 178 F	GASKET KIT SP-2513/SC-92K OR SP-2513/C6327K
AIR 6122	SP-2728/5MLF9	W SERIES SIZE 14, ULTRAFUSED 5 ROW	1029	1000	91	9	TUBE	1073 x 178 F	1073 x 178 F	GASKET KIT SP-2514/SC-92K OR SP-2514/C6327K
AIR 6123	SP-2729/5MLF9	W SERIES SIZE 15, ULTRAFUSED 5 ROW	1068	1048	91	9	TUBE	1116 x 178 F	1116 x 178 F	GASKET KIT SP-2515/SC-92K OR SP-2515/C6327K
AIR 6124	SP-2730/5MLF9	W SERIES SIZE 16, ULTRAFUSED 5 ROW	1104	1095	91	9	TUBE	1159 x 178 F	1159 x 178 F	GASKET KIT SP-2516/SC-92K OR SP-2516/C6327K
AIR 6125	SP-2731/5MLF9	W SERIES SIZE 17, ULTRAFUSED 5 ROW	1143	1127	91	9	TUBE	1202 x 178 F	1202 x 178 F	GASKET KIT SP-2517/SC-92K OR SP-2517/C6327K
AIR 6126	SP-2732/5MLF9	W SERIES SIZE 18, ULTRAFUSED 5 ROW	1218	1175	91	9	TUBE	1245 x 178 F	1245 x 178 F	GASKET KIT SP-2518/SC-92K OR SP-2518/C6327K
AIR 6127	SP-2733/6MLF9	W SERIES SIZE 11, ULTRAFUSED 6 ROW	915	873	91	9	TUBE	945 x 178 F	945 x 178 F	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K
AIR 6128	SP-2734/6MLF9	W SERIES SIZE 12, ULTRAFUSED 6 ROW	951	921	91	9	TUBE	987 x 178 F	987 x 178 F	GASKET KIT SP-2512/SC-92K OR SP-2512/C6327K
AIR 6129	SP-2735/6MLF9	W SERIES SIZE 13, ULTRAFUSED 6 ROW	990	968	91	9	TUBE	1030 x 178 F	1030 x 178 F	GASKET KIT SP-2513/SC-92K OR SP-2513/C6327K
AIR 6130	SP-2736/6MLF9	W SERIES SIZE 14, ULTRAFUSED 6 ROW	1029	1000	91	9	TUBE	1073 x 178 F	1073 x 178 F	GASKET KIT SP-2514/SC-92K OR SP-2514/C6327K
AIR 6131	SP-2737/6MLF9	W SERIES SIZE 15, ULTRAFUSED 6 ROW	1068	1048	91	9	TUBE	1116 x 178 F	1116 x 178 F	GASKET KIT SP-2515/SC-92K OR SP-2515/C6327K
AIR 6132	SP-2738/6MLF9	W SERIES SIZE 16, ULTRAFUSED 6 ROW	1104	1095	91	9	TUBE	1159 x 178 F	1159 x 178 F	GASKET KIT SP-2516/SC-92K OR SP-2516/C6327K
AIR 6133	SP-2739/6MLF9	W SERIES SIZE 17, ULTRAFUSED 6 ROW	1143	1127	91	9	TUBE	1202 x 178 F	1202 x 178 F	GASKET KIT SP-2517/SC-92K OR SP-2517/C6327K
AIR 6134	SP-2740/6MLF9	W SERIES SIZE 18, ULTRAFUSED 6 ROW	1218	1175	91	9	TUBE	1245 x 178 F	1245 x 178 F	GASKET KIT SP-2518/SC-92K OR SP-2518/C6327K

INDUSTRIAL CORES



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AIR 6135	SP-5330/3MLF9	B SERIES SIZE 19A ULTRAFUSED 3 ROW	692	1461	56	9	TUBE	1533 x 178 F	1533 x 178 F	GASKET KIT SP-624/SC-92K OR SP-624/C6327K
AIR 6136	SP-5331/4MLF9	B SERIES SIZE 19A ULTRAFUSED 4 ROW	692	1461	73	9	TUBE	1533 x 178 F	1533 x 178 F	GASKET KIT SP-624/SC-92K OR SP-624/C6327K
AIR 6137	SP-5332/5MLF9	B SERIES SIZE 19A ULTRAFUSED 5 ROW	692	1461	91	9	TUBE	1533 x 178 F	1533 x 178 F	GASKET KIT SP-624/SC-92K OR SP-624/C6327K
AIR 6138	SP-5333/3MLF9	B SERIES SIZE 20A ULTRAFUSED 3 ROW	737	1540	56	9	TUBE	1619 x 178 F	1619 x 178 F	GASKET KIT SP-5329/SC-92K OR SP-5329/C6327K
AIR 6139	SP-5334/4MLF9	B SERIES SIZE 20A ULTRAFUSED 4 ROW	737	1540	73	9	TUBE	1619 x 178 F	1619 x 178 F	GASKET KIT SP-5329/SC-92K OR SP-5329/C6327K
AIR 6140	SP-5335/5MLF9	B SERIES SIZE 20A ULTRAFUSED 5 ROW	737	1540	91	9	TUBE	1619 x 178 F	1619 x 178 F	GASKET KIT SP-5329/SC-92K OR SP-5329/C6327K
AIR 6141	SP-2149/8C5SSC	D SERIES (46 SQFT MODULE) CHARGE AIR TO AIR, 8 ROW SOLDER COATED FIN GASKETS: TOP SP-930 BOTTOM SP-930	988	1060	207	5.5	CA	1124 x 292 F	1124 x 292 F	GASKET KIT SP-930K GASKETS AVAILABLE IN C6327 MATERIAL ONLY
AIR 6142	SP-3890/8C5SSC	D SERIES (37 SQFT MODULE) CHARGE AIR TO AIR, 8 ROW SOLDER COATED FIN GASKETS: TOP SP-930 BOTTOM SP-930	826	1060	207	5.5	CA	1124 x 292 F	1124 x 292 F	GASKET KIT SP-930K GASKETS AVAILABLE IN C6327 MATERIAL ONLY
AIR 6143	SP-4948/8C5SSC	D SERIES (37 SQFT MODULE) CHARGE AIR TO AIR, 6 ROW SOLDER COATED FIN GASKETS: TOP SP-930 BOTTOM SP-930	826	1060	152	5.5	CA	1124 x 292 F	1124 x 292 F	GASKET KIT SP-930K GASKETS AVAILABLE IN C6327 MATERIAL ONLY
AIR 6144	SP-4949/8C5SSC	D SERIES (46 SQFT MODULE) CHARGE AIR TO AIR, 6 ROW SOLDER COATED FIN GASKETS: TOP SP-930 BOTTOM SP-930	988	1060	152	5.5	CA	1124 x 292 F	1124 x 292 F	GASKET KIT SP-930K GASKETS AVAILABLE IN C6327 MATERIAL ONLY

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
ALC 429	ML-1113	ALLIS CHALMERS 'WD' TRACTOR 1950, 4CYL SIDE VALVE 3 ROW CORE	470	465	45	9	CT	465 x 145 T	465 X 75 T	
ALC 550	MLF1172	ALLIS CHALMERS N5, N6 ROATARY HEADER, ULTRAFUSED 4 ROW CORE	1068	746	110	6	TUBE	786 x 120 T	786 x 120 T	
ALC 852	MDF1145	ALLIS CHALMERS HD46 DOZER 5ROW CORE	1018	1290	85	9	TUBE	1435 x 195 F	1435 x 195 F	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE							TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ					
ATK 801	MLF1040	ATKINSON PD-871 C/2 ULTRAFUSED 5 ROW CORE 1100 SQIN	984	729	98	11	TUBE	794 x 175 F	794 x 175 F	GASKETS NOT TOOLED		
ATK 802	MLF1041	ATKINSON PD-870 ULTRAFUSED 5 ROW CORE 1360 SQIN	1130	729	98	11	TUBE	794 x 175 F	794 x 175 F	GASKETS NOT TOOLED		
ATK 803	MLF1176	ATKINSON 1100 SQ/IN ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-87 BOTTOM SP-87	981	729	98	10	TUBE	793 x 171 F	793 x 171 F	GASKET KIT SP-87/SC-92K OR SP-87/C6327K		
ATK 804	MLF1042	ATKINSON 1974 ULTRAFUSED 5 ROW CORE	949	746	95	10	TUBE	793 x 178 F	793 x 178 F	GASKETS NOT TOOLED		
ATK 805	MLF1027	ATKINSON MK III ULTRAFUSED 5 ROW CORE REPLACES SOLDERED CORE SP-697	997	762	95	10	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K		
ATK 806	MLF1038	ATKINSON MK III ULTRAFUSED 6 ROW CORE	997	762	95	10	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K		
ATK 807	MLF1043	ATKINSON MK III ULTRAFUSED 5 ROW CORE REPLACES SOLDERED CORE SP-835 GASKETS: TOP SP-839 BOTTOM SP-839	1118	762	114	10	TUBE	816 x 186 F	816 x 186 F	NATRA ATK 301 GASKET KIT SP-839/SC-92K OR SP-839/C6327K		
ATK 808	MLF1105	ATKINSON REPLACES ORIGINAL WITHNALL TUBE WITH ULTRAFUSED 4 ROW CORE	832	660	92	9	TUBE	711 x 172 F	711 x 172 F	FOR H/DUTY SEE MLF1321 GASKETS NOT TOOLED		
ATK 809	MLF1321 H/DUTY	ATKINSON REPLACES ORIGINAL WITHNALL TUBE WITH ULTRAFUSED 5 ROW CORE	832	660	92	9	TUBE	711 x 172 F	711 x 172 F	GASKETS NOT TOOLED		
INT5127	MLF1178	ATKINSON BY INTERNATIONAL F4870 ALUMINIUM TANK 3260448R1 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-4994 BOTTOM SP-4995	1040	872	76	11	TUBE	940 x 240 F	940 x 206 F	STEEL TANKS/PARTS AVAIL REFER PARTS CAT. GASKET KIT GSK-3/SC-92K OR GSK-3/C6327K		

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
ATL 802	ML-1065	ATLAS COPCO COMPRESSOR	595	683	57	13	TUBE	710 x 85 F	710 x 85 F	GASKETS NOT TOOLED
ATL 803	MLF1430	ATLAS COPCO ET6 INTERCOOLER	700	872	113	8	TUBE	959 x 175 F	959 x 175 F	INTERCOOLER

ATLAS COPCO



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
DOM 201	SP-1674/6MLF11	AUSTRAL - DOMINO COACH, MANUAL, AUTO, 6V92TA, 8V92N AIR RADS ASSY SBW-749, AOR-753. ULTRAFUSED CORE GASKETS: TOP SP-1466 BOTTOM SP-1466	889	667	114	12	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K	
DOM 802	SP-1793/5MLF11	AUSTRAL - DOMINO COACH, MANUAL, AUTO, 6V92N, 6V71N 8V71N. AIR RADS ASSY SBW-750, SBW-751, ARO-754, ARO-755. ULTRAFUSED CORE. GASKETS: TOP SP-1466 BOTTOM SP-1466	889	667	100	10	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K	
DOM 803	SP-1794/4MLF11	AUSTRAL - DOMINO COACH, MANUAL, AIR RADS ASSY SBW-872 6V71N. ULTRAFUSED CORE GASKETS: TOP SP-1466 BOTTOM SP-1466	889	667	76	11	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K	
DOM 804	SBW-645/5ML11	AUSTRAL - DOMINO COACH, CAT3208 SOLDERED CORE GASKETS: TOP SP-1465 BOTTOM SP-1465	533	635	100	12	TUBE	687 x 178 F	687 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K	
DOM 805	ML-1062	AUSTRAL - DOMINO COACH, TOURMASTER DD6.71	710	695	95	11	TUBE	712 x 125 T	712 x 125 T		
DOM 806	SBW-1631/6MLF11	AUSTRAL TOURMASTER COACH, DD8V92TTA-365HP ULTRAFUSED CORE GASKETS: TOP SP-1464 BOTTOM SP-1464	990	587	114	11	TUBE	644 x 178 F	644 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K	
KEN 910	VHF1003	AUSTRAL DOUBLE DECKER LRP2/H/M, DD 8V92TA & ALLISON HTB-741 470HP. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	857	76	13	CT	918 x 186 F	918 x 186 F	G&O CORE E2462-1 FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1772/SC-92K OR SP-1772/C6327K	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
TOF 715	Y14580/4SL7	POWERHAUL TRANSPORTER CUMMINS 6BT 152 HP ASSY NO. YFW14580	725	693	87	7	TUBE	715 x 102 T	715 x 102 T	
TOF 716	Y12960/4SL7	POWERHAUL TRANSPORTER. OLD SERIES ASSY NO. YFW12960	673	645	87	7	TUBE	651 x 102 T	651 x 102 T	
TOF 720	Y21940/4SL7	POWERHAUL TRANSPORTER CUMMINS 6BTA 177 HP ASSY NO. YFW21940 (87248447)	950	693	87	7	TUBE	715 x 102T	715 x 102T	
TOF 719	SL-1660	POWERHAUL TRANSPORTER TX12 ASSY NO. YFW29330 (383482)	896	772	87	5.5	TUBE	814 x 98 T	814 x 98T	
TOF 717	Y12970/5SL7SC	CANE HARVESTER 5 ROW CORE, 0.1mm SC FIN ASSY NO. YFW12970 (181141)	904	883	110	7	TUBE	914 x 122 T	914 x 122 T	
TOF 718	SL-1564	CANE HARVESTER 4 ROW CORE WAS 7 FPI, NOW 5.5 FPI ASSY NO. YFW12974 (405491)	904	883	87	5.5	TUBE	914 x 122 T	914 x 122 T	
TOF704	SL-1652	CANE HARVESTER 4 ROW (EX NATRA ASSY) ASSY NO. YFW28910 (C92100) - 86690900	904	883	87	5.5	TUBE	914 x 109T	914 x 109T	
TOF 801	Y13820/4ML7	TR65 TRENCHER. ASSY NO. YFW13820	573	619	73	7	TUBE	651 x 102 T	651 x 102 T	
	SL-1789	AUSTOFT HARVESTER	904	883	87	5.5	TUBE	914 x 122T	914 x 122T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
AUT 801	MLF1071	AUTO CAR KF-7135 ULTRAFUSED 5 ROW CORE	908	1016	95	11	TUBE	1146 x 257 F	1127 x 181 F	GASKETS NOT TOOLED

AUTOCAR



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
BEA 801	MLF1207	BEARWARD - CUMMINS INDUSTRIAL GEN SET ULTRAFUSED CORE	1009	1022	87	10	CT	1137 x 279 F	1137 x 279 F	4 CORES PER RADIATOR GASKETS NOT TOOLED
BEA 802	MLF1437	BEARWARD RADIATOR, GEN SET, ORIG'CORE #29919 ULTRAFUSED CORE	1076	920	73	16	CT	990 x 230 F	990 x 230 F	H/DUTY SEE MLF1436 GASKETS NOT TOOLED
BEA 803	MLF1436 H/DUTY	BEARWARD RADIATOR, GEN SET. SOLDER COATED FIN ULTRAFUSED CORE	1076	920	73	16	CT	990 x 230 F	990 x 230 F	GASKETS NOT TOOLED
BEA 804	ZFW12030 KIT #	BEARWARD - AGGREKO GEN SET, CUMMINS KV16, KTA50G2, ORIGINAL 2 CORES PER RADIATOR. ULTRAFUSED 8 ROW CORES	1572	1015	140	10	TUBE	1135 x 220 F	1135 x 280 F	AIR RAD'S KIT INC'S 4 CORES, MDF1129, CENTRE TANK, NUTS, BOLTS & REO BARS
BEA 805	ZFW13970 KIT #	BEARWARD - AGGREKO GEN SET, CUMMINS KV16, KTA50G2, ORIGINAL 2 CORES PER RADIATOR. ULTRAFUSED 6 ROW CORES	1572	1015	140	10	TUBE	1135 x 220 F	1135 x 280 F	AIR RAD'S KIT AS ABOVE WITH HIGH PERFORMANCE MLF1453 'ML' FIN CORES
BEA 806	MLF1515	BEARWARD CORE #68211, ULTRAFUSED 6 ROW CORE	961	1051	117	10	TUBE	1137 x 228	1137 x 228	4 CORES PER RADIATOR GASKETS NOT TOOLED
	MDF1129	BEARWARD CORE ULTRAFUSED 8 ROW CORE	772	1048	143	9	TUBE	1140 x 279.4	1120 x 235	TOP - SP-5404 BTM - SP-5405
	MLF1453	BEARWARD CORE ULTRAFUSED 6 ROW CORE	772	1048	108	11	TUBE	1140 x 279F	1120 x 235F	TOP - SP-5394 BTM - SP-5395

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
PJB 601	MD-1642	CRUISELINER (NEW MODEL) 8 ROW CORE SOLDER COATED FIN. AIR RAD'S ASS'Y SBX-1508. REPLACES SBX-1508/8MD9H GASKETS: TOP X001023A BOTTOM X001023A	483	540	149	9	TUBE	601 x 216 F	601 x 216 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT X001023A/SC-92K OR X001023A/C6327K
PJB 603	MD-1631	MINE CRUISER MK4.5 8 ROW CORE SOLDER COATED FIN. AIR RAD'S ASSY XMW22260 REPLACES X22260/8MD9H GASKETS: TOP X001023A BOTTOM X001023A	483	540	149	9	TUBE	601 x 216 F	601 x 216 F	3 PASS RADIATOR GASKET KIT X001023A/SC-92K OR X001023A/C6327K
PJB 802	SBW-798/6ML9	CRUISELINER (OLD MODEL) GASKETS: TOP SP-1463 BOTTOM SP-1463	483	540	114	9	TUBE	601 x 178 F	601 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1463/SC-92K OR SP-1463/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
BLA 801	ML-1157	BLAW KNOX ROAD RUNNER PF180H	640	635	76	7	TUBE	648 x 98 T	648 x 98 T	

BLAW KNOX



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
BRO 801	ML-1423	BROOMWADE COMPRESSOR CV160S	619	629	57	8	TUBE	641 x 122 T	641 x 84 T	
BRO 802	ML-1424	BROOMWADE COMPRESSOR CV2505	686	686	73	11	TUBE	697 x 89 T	697 x 89 T	
	ML-1834	BROOMWADE	619	635	56	9	TUBE	641 x 122 T	641 x 84 T	

BROOMWADE



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
BUC 601	MDF1497	BUCYRUS ERIE TRACK CRANE ULTRAFUSED 5 ROW CORE	1016	1016	92	8	TUBE	1073 x 172 F	1073 x 172 F	GASKETS NOT TOOLED

BUCYRUS ERIE



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CAS 218	ML-1188	CASE CRAWLER TRACTOR, D26522, 310E, 3106	413	460	70	8	TUBE	476 x 102 T	476 x 102 T	
CAS 220	ML-1187	CASE TRACTOR, W9B 4 x 4 W/LOADER	543	667	70	8	TUBE	691 x 103 T	691 x 103 T	
CAS 222	ML-1186	CASE TRACTOR, 830 AUTO - 832	546	465	75	9.5	TUBE	475 x 83 T	475 x 83 T	
CAS 230	ML-1185	CASE TRACTOR, 225 BACKHOE	450	464	57	8	TUBE	467 x 127 T	467 x 70 T	
CAS 516	ML-1184	CASE TRACTOR, 1961 1000D 1150	611	635	114	7	TUBE	640 x 132 T	705 x 181 F	FLAT BOTTOM HEADER NO GASKET AVAIL.
CAS 656	MDF1507	CASE TRACTOR	940	918	112	9	TUBE	972 x 178 F	972 x 178 F	GASKETS NOT TOOLED

CASE



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CAT 551	MLF1195	CATERPILLAR D4 TRACTOR E933,933A,995 T/LOADER,8H8771 ULTRAFUSED 4 ROW CORE	575	578	76	7	TUBE	641 x 137 F	641 x 137 F	GASKETS NOT TOOLED
CAT 561	MLF1196	CATERPILLAR 933 TRAXCAVATOR 8H9577 ULTRAFUSED 3 ROW CORE	575	572	57	6	TUBE	645 x 114 F	645 x 114 F	GASKETS NOT TOOLED
CAT 586	MLF1194	CATERPILLAR D343 STATIONARY ENGINE D353 & 342 ULTRAFUSED 5 ROW CORE	914	922	95	9	TUBE	1000 x 203 F	1000 x 203 F	GASKETS NOT TOOLED
CAT 653	MLF1192	CATERPILLAR D4 DOZER 7H677,6U,14A,115820N,7U372850N ULTRAFUSED 4 ROW CORE	597	603	76	6	TUBE	676 x 146 F	676 x 146 F	GASKETS NOT TOOLED
CAT 662	MLF1148	CATERPILLAR 1964 DOZER D6B 57A, 2M4798 ULTRAFUSED 4 ROW CORE	679	676	75	6	TUBE	699 x 140 F	699 x 140 F	FOR H/DUTY SEE MLF1147 GASKETS NOT TOOLED
CAT 669	MDF1143	CATERPILLAR D4D SERIES DOZER 9M6600 ULTRAFUSED 5 ROW CORE. IS 364-X	533	540	83	7	TUBE	584 x 143 F	584 x 143 F	GASKETS NOT TOOLED
CAT 2144	MLF1109	CATERPILLAR 3412 GEN SET, 4 SECTION RADIATOR 5 ROW CORES	818	683	95	11	TUBE	725 x 205 F	725 x 205 F	FOR H/DUTY SEE MLF1446 ULTRAFUSED 4 CORES PER ASSY GASKETS NOT TOOLED
CAT 4110	ML-1182	CATERPILLAR D3-910 WHEELED LOADER TRACTOR, 8N4075	552	546	95	9	TUBE	560 x 122 T	560 x 122 T	
CAT 4131	MLF1181	CATERPILLAR MOTOR GRADER 130G, 12W756. ULTRAFUSED 4 ROW CORE	848	854	76	9	TUBE	903 x 102 T	903 x 102 T	
CAT 6166	MLF1455/K	CATERPILLAR GEN SET, ULTRAFUSED 5 ROW CORE GASKETS TOP SP-5465 BOTTOM SP-5466	1145	1220	86	9	TUBE	1270 x 330 F	1270 x 228 F	SUPPLIED WITH TOP HEADER SUPPORT KIT GASKET KIT GSK-0/SC-92K OR GSK-10/C6327K
CAT 6166 H/DUTY	MLF1454/K	CATERPILLAR GEN SET, ULTRAFUSED 5 ROW CORE SOLDER COATED FIN GASKETS TOP SP-5465 BOTTOM SP-5466	1145	1220	86	9	TUBE	1270 x 330 F	1270 x 228 F	H/DUTY VERSION OF MLF1455/K SUPPLIED WITH TOP HEADER SUPPORT KIT GASKET KIT GSK-10/SC-92K OR GSK-10/C6327K
CAT 8131	MDF1080	CATERPILLAR 140L GRADER. ULTRAFUSED 4 ROW CORE	848	841	73	9	TUBE	902 x 103 T	902 x 103 T	FOR H/DUTY SEE MLF1055
CAT 8132	MLF1055 H/DUTY	CATERPILLAR 140L GRADER HEAVY DUTY SOLDER COATED FIN ULTRAFUSED 4 ROW CORE	848	841	73	9	TUBE	902 x 103 T	902 x 103 T	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CAT 8144	MLF1446	CATERPILLAR 3412 GEN SET, 4 SECTION RADIATOR SOLDER COATED FIN ULTRAFUSED 5 ROW CORE	818	683	95	11	TUBE	725 x 205 F	725 x 205 F	H/DUTY VERSION OF MLF1109 4 CORES PER ASSY
CAT 8172	MD-1134	CATERPILLAR VC-60 FORK TRUCK	425	465	128	8	TUBE	475 x 135 F	475 x 135 F	
CAT 8173	ML-1138	CATERPILLAR FORK TRUCK T150D	505	465	128	8	TUBE	477 x 133 T	477 x 133 T	
CAT 8174	ML-1183	CATERPILLAR FORK, IMPORTED V180C, V80D	507	475	75	10	TUBE	475 x 110 T	475 x 110 T	
CAT 8175	MLF1147 H/DUTY	CATERPILLAR 1964 DOZER D6B 57A SOLDER COATED FIN ULTRAFUSED 4 ROW CORE	679	676	75	6	TUBE	699 x 140 F	699 x 140 F	H/DUTY VERSION OF MLF1148 GASKETS NOT TOOLED
CAT 8176	MLF1193	CATERPILLAR LOADER 951PS, 4N8745. ULTRAFUSED 6 ROW CORE	705	540	135	9	TUBE	601 x 186 F	601 x 186 F	GASKETS NOT TOOLED
CAT 8177	MLF1223	CATERPILLAR TRAXCAVATOR 955, 955H, JD4446. ULTRAFUSED 6 ROW CORE	764	680	114	9	TUBE	678 x 165 F	678 x 165 F	
CAT 8178	MLF1141	CATERPILLAR STATIONARY ENGINE P/No:4L648. ULTRAFUSED 6 ROW CORE GASKETS TOP SP-5249 BOTTOM SP-5349	819	680	108	9	TUBE	730 x 210 F	730 x 210 F	FOR H/DUTY VERSION SEE MLF1140 GASKET KIT SP-5349/SC-92K SP-5349/C6327K
CAT 8179	MLF1140 H/DUTY	CATERPILLAR STATIONARY ENGINE P/No:4L648. SOLDER COATED FIN. ULTRAFUSED 6 ROW CORE GASKETS TOP SP-5349 BOTTOM SP-5349	819	680	108	9	TUBE	730 x 210 F	730 x 210 F	GASKETS NOT TOOLED GASKET KIT SP-5349/SC-92K SP-5349/C6327K
CAT 8180	ML-1180	CATERPILLAR GEN SET. 6 ROW CORE	836	730	112	11	TUBE	755 x 195 T	755 x 130 T	TOP OVERHANG DIFFERENT TO ML-1694
CAT 6184	ML-1694	CATERPILLAR GEN SET, 6 ROW CORE	836	730	112	11	TUBE	755 x 195 T	755 x 130 T	TOP OVERHANG DIFFERENT TO ML-1180
CAT 8181	MLF1458	CATERPILLAR GEN SET ULTRAFUSED 6 ROW CORE	534	1064	108	10	TUBE	1112 x 200 F	1112 x 200 F	2 CORE RADIATOR GASKETS NOT TOOLED FOR H/DUTY VERSION SEE MLF1693
CAT 8181	MLF1693 H/DUTY	CATERPILLAR GEN SET, ULTRAFUSED 6 ROW CORE SOLDER COATED FIN	534	1064	108	10	TUBE	1112 x 200 F	1112 x 200 F	2 CORE RADIATOR GASKETS NOT TOOLED
CAT 6185	MLF1656	CATERPILLAR 112 GRADER. ULTRAFUSED 4 ROW CORE SOLDER COATED FIN. ORIGINAL PERFEX CORE	646	610	75	9	TUBE	723 x 138 F	645 x 138 F	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					Typ	TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI					
CAT 6182	ML-1618	CATERPILLAR GEN SET. 3 ROW CORE	667	699	59	9	TUBE	718 x 108 T	718 x 108 T	FOR H/DUTY VERSION SEE ML-1617	
CAT 6183	ML-1617	CATERPILLAR GEN SET. 4 ROW CORE	667	699	59	9	TUBE	718 x 108 F	718 x 108 F		
CAT 6259	MLF1538	CATERPILLAR 3406 STATIONARY. ULTRAFUSED 5 ROW CORE	965	918	114	9	TUBE	1002 x 266 F	1002 x 203 F	GASKETS NOT TOOLED FOR H/DUTY VERSION SEE MLF1539	
CAT 6259	MLF1538	CATERPILLAR 3406 STATIONARY. ULTRAFUSED 5 ROW CORE	965	918	114	9	TUBE	1002 x 266 F	1002 x 203 F	GASKETS NOT TOOLED FOR H/DUTY VERSION SEE MLF1539	
CAT 6259 H/DUTY	MLF1539	CATERPILLAR 3406 STATIONARY. ULTRAFUSED 5 ROW CORE SOLDER COATED FIN	965	918	114	9	TUBE	1002 x 266 F	1002 x 203 F	GASKETS NOT TOOLED	
CAT8126 H/DUTY	MLF1655	CATERPILLAR 966C LOADER SOLDER COATED FIN, 5 ROW ULTRAFUSED CORE REPLACES NATRA H.S.D. CORE	965	788	98	9	TUBE	834 x 210 F	834 x 210 F	GASKETS NOT TOOLED	
CAT 6186	MLF1696	CATERPILLAR GEN SET, ULTRAFUSED 6 ROW CORE	1016	1048	112	9	TUBE	1155 x 190 F	1155 x 190 F	GASKETS NOT TOOLED FOR H/DUTY SEE MLF1697 4 CORES PER ASSY	
CAT 6186 H/DUTY	MLF1697	CATERPILLAR GEN SET, ULTRAFUSED 6 ROW CORE, SOLDER COATED FIN	1016	1048	112	9	TUBE	1155 x 190 F	1155 x 190 F	GASKETS NOT TOOLED 4 CORES PER ASSY	
CAT 6187	ZFW28450 # KIT	CATERPILLAR GEN SET ORIGINAL ONE CORE RADIATOR 5 ROW CORES, SOLDER COATED FIN	1420	1305	90	10	TUBE	1400 X 230 F	1400 x 230 F	AIR RADS KIT INCLUDES 2 CORES ML-1621 & ML-1622, AND FITTING INSTRUCTIONS GASKETS NOT TOOLED	
CAT 684	MDF1698	CATERPILLAR D4D DOZER, R558042 ULTRAFUSED 3 ROW CORE SOLDER COATED FIN	660	714	57	6	TUBE	746 x 146 F	746 x 146 F	GASKETS NOT TOOLED	
CAT 6188	ML-1700	CATERPILLAR 3306 STATIONARY, 4 ROW CORE	845	699	73	11	TUBE	718 x 190 T	718 x 190 T	FOR INLINE VERSION SEE SL-1595/K	
CAT 7188	SL-1595/K	CATERPILLAR 3306 STATIONARY MULCHER APPLICATION, 5 ROW CORE	845	699	73	11	TUBE	718 x 190 T	718 x 190 T		
	MDF1943	CATERPILLAR 4 ROW ULTRAFUSED CORE	848	841	73	9	TUBE	902 x 103T	902 x 103T		

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
MLF1448		CATERPILLAR 6 ROW ULTRAFUSED CORE	797	1651	108	9	TUBE	1753 X 204F	1753 X 204F	GASKETS NOT TOOLED
MLF1768		TRAXCAVATOR: ORIG 403/6F9	764	683	108	9	TUBE	678 x 165F	678 x 165F	GASKETS NOT TOOLED

CATERPILLAR



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE							REMARKS
			H	W	Th	FPI	Typ	TOP HDR	BTM HDR	
CHA 202	ML-1203	CHAMBERLAIN TRACTOR 1969, CHAMPION 6G, 9G, 270 D.20214	495	508	70	10	TUBE	510 x 154 T	510 x 78 T	
CHA 203	ML-1204	CHAMBERLAIN TRACTOR 1969, COUNTRYMAN 4-6CYL 76 MODEL 31685 & 32001.	495	587	70	10	TUBE	586 x 78 T	586 x 78 T	
CHA 207	ML-1206	CHAMBERLAIN TRACTOR 1966-70, CHAMPION, 306 COUNTRYMAN P/No:B37497.	546	508	70	10	TUBE	515 x 83 T	515 x 83 T	
CHA 210	ML-1419	CHAMBERLAIN JOHN DEERE 4 ROW CORE.	628	572	70	9	TUBE	570 x 77 T	570 x 77 T	
CAT 7188	SL-1595/K	CATERPILLAR 3306 STATIONARY MULCHER APPLICATION, 5 ROW CORE	845	699	73	11	TUBE	718 x 190 T	720 x 121 T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CLA 232	ML-1132	CLARK FORK LIFT C500 YS60D	499	445	60	8	TUBE	455 x 85 T	455 x 85 T	
CLA 846	ML-1191	CLARK BOBCAT	457	400	76	9	TUBE	420 x 98 T	420 x 98 T	
CLA 847	ML-1068	CLARK FORK TRUCK C500 C700	490	520	76	9	TUBE	555 x 87 T	555 x 87 T	
CLA 849	MDF1479	CLARK 125 B LOG LOADER. ULTRAFUSED 6 ROW CORE	935	876	114	8	TUBE	927 x 210 F	927 x 210 F	

CLARK



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CLE 207	MD-1067	CLETRAC HG No: 1120 - 25X OC 3 No: 119131	371	400	57	7	TUBE	397 x 152 T	397 x 64 T	

CLETRAC



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE				T _{yp}	TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI				
SL-1824	COMECO HARVESTER	COMECO HARVESTER	770	661	132	7	TUBE	671 x 170T	671 x 170T	
SL-1853	COMECO HARVESTER	COMECO HARVESTER	818	820	132	5.5	TUBE	913 x 203F	913 x 203F	
SL-1854	COMECO HARVESTER	COMECO HARVESTER	820	820	132	5.5	TUBE	914 x 254F	914 x 254F	
SLF-1825	COMECO HARVESTER	COMECO HARVESTER	820	820	132	5.5	TUBE	914 x 254F	914 x 254F	GASKET P/N 54290001
SLF-1826	COMECO HARVESTER	COMECO HARVESTER	818	820	110	5.5	TUBE	913 x 203F	913 x 203F	
SLF-1833	COMECO HARVESTER	COMECO HARVESTER	818	820	132	5.5	TUBE	913 x 203F	913 x 203F	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CPR-201	SBS-1089/3ML11	PORTABLE - CR160S,CR175A,CR250A PERKINS 4/135 & CUMMINS COMPAIR No AU4613,AU5362,AU6107,1075A67190 AIR RAD'S ASS'Y ARO-1089,APF-1986,APF-2040 GASKETS: TOP ARO-6-1089 BOTTOM ARO-6-1089	641	603	57	11	TUBE	667 x 140 F	667 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO1089/SC-92K
CPR 804	ASA-508/3ML9	PORTABLE - COMPACT 90D COMPAIR No: AU3894. AIR-RAD'S ASSY ASA-508	445	476	57	9	TUBE	480 x 68 T	480 x 68 T	
CPR 805	ARO-640/2ML11	PORTABLE - COMPACT 75. PERKINS 4/108 COMPAIR No: AU3894, AU4337 AIR RAD'S ASS'Y ARO-640 GASKETS: TOP ARO-6-640 BOTTOM ARO-6-640	457	429	41	11	TUBE	489 x 105 F	489 x 105 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO-640/SC-92K
CPR 806	VL-1001	PORTABLE - CR100, CR125 PERKINS 4/108, 103-13, 104-19 ZITAIR 70, 100, 130, 130S. KUBOTA V1902-B. ISUZU 3AB1 COMPAIR No: 1075A 73370, 1075 73570, 1075 75570, 1075 74670, 1075A 71520. AIR-RAD'S ASS'Y APF-2284,APF-2345,APF-2424,APF-2328. GASKETS: TOP ABS-6-2284 BOTTOM ABS-6-2284	507	548	36	16	CT	601 x 105 F	601 x 105 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ABS2284/SC-92K
CPR 807	ARO-651/2ML11	PORTABLE - CR100. PERKINS 4/108 COMPAIR No: AU4545, AU4642 AIR RAD'S ASS'Y ARO-651 GASKETS: TOP ARO-6-651 BOTTOM ARO-6-651	559	524	41	11	TUBE	578 x 105 F	578 x 105 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO-651/SC-92K
CPR 808	ASA-447/2ML11	PORTABLE - AU3671 AIR-RAD'S ASSY ASA-447	622	635	41	11	TUBE	643 x 103 T	643 x 84 T	
CPR 809	SBS-1700/2ML11	PORTABLE - CR125A, PERKINS 4/135 COMPAIR No: AU5826 AIR RAD'S ASS'Y ARO-1700 GASKETS: TOP ARO-6-1089 BOTTOM ARO-6-1089	641	603	41	11	TUBE	667 x 140 F	667 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO1089/SC-92K
CPR 810	VL-1020	PORTABLE - ZITAIR 175. ISUZU C240. COMPAIR No: 1075A 69950. AIR-RAD'S ASS'Y SBS-2433 GASKETS: TOP ARO-6-1089 BOTTOM ARO-6-1089	641	606	56	16	TUBE	667 x 140 F	667 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO1089/SC-92K
CPR 811	ABS-473/2ML11	PORTABLE - CV125. FORD 2721E, COMPAIR No: AU4200 AIR RAD'S ASS'Y ARO-473, ARO-474, ARO-526 GASKETS: TOP ARO-1-473 BOTTOM ARO-1-473	641	619	38	11	CT	667 x 105 F	667 x 105 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO-473/SC-92K
CPR 812	SBS-465/3ML9	PORTABLE - CV250 - 275 'SEQ' FORD 2713E COMPAIR No: AU5030, AU3823 AIR RAD'S ASS'Y ARO-1035 GASKETS: TOP SP-1289 BOTTOM SP-1289	749	794	57	11	TUBE	859 x 140 F	859 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1289/SC-92K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CPR 813	SBS-2234/3ML11	PORTABLE - ZITAIR 400, CUMMINS 4BT COMPAIR No: 1075A 72940 AIR RAD'S ASS'Y APF-2234 GASKETS: TOP SP-1289 BOTTOM SP-1289	950	794	56	11	TUBE	859 x 140 F	859 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1289/SC-92K
CPR 814	ABA-462/4MLF9	PORTABLE - RO-750 DETROIT 6/71N COMPAIR No: 1078A 66020 AIR-RAD'S ASSY ARO-462 ULTRAFUSED CORE GASKETS: TOP SP-380 BOTTOM SP-380	1048	1159	76	9	TUBE	1233 x 178 F	1233 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-380/SC-92K
CPR 815	ABA-1108/4MLF9	PORTABLE - CR900 ULTRAFUSED CORE COMPAIR No: 1262A 61230, 1262A 61240 AIR RAD'S ASS'Y ARO-1108 GASKETS: TOP SP-622 BOTTOM SP-622	1137	1286	76	9	TUBE	1362 x 178 F	1362 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-622/SC-92K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
COV 801	MLF1200	COVRAD - DORMAN GEN SET. ULTRAFUSED CORE	764	746	57	9	TUBE	829 x 127 F	829 x 127 F	GASKETS NOT TOOLED
COV 802	MLF1422	COVRAD - DORMAN GEN SET. 12QT, 12QTCA PART/ No:584/112, 584A/117 CRD 44374 ULTRAFUSED CORE	778	778	102	10	TUBE	837 x 191 F	837 x 191 F	GASKETS NOT TOOLED
COV 803	MLF1382	COVRAD - ROLLS ROYCE INDUSTRIAL C6NFL STATIONARY ULTRAFUSED CORE	912	905	114	9	TUBE	965 x 192 F	965 x 192 F	GASKETS NOT TOOLED
COV 804	MLF1228	COVRAD - DORMAN GEN SET. 12QBTCR CRD 584229 ULTRAFUSED CORE	914	778	102	10	TUBE	837 x 191 F	837 x 191 F	GASKETS NOT TOOLED
COV 805	MLF1302	COVRAD PART No: CRD 32897, PAXMAN GEN SET 6RPH S/No: R4802, PART/No:OD22707 ULTRAFUSED CORE	915	855	76	10	TUBE	908 x 191 F	908 x 191 F	GASKETS NOT TOOLED
COV 806	MLF1486	COVRAD - JACKET WATER CORE, ULTRAFUSED 6 ROW CORE.	987	1065	125	9	TUBE	1122 x 220 F	1122 x 220 F	H/DUTY REFER MLF1124 GASKETS NOT TOOLED
COV 807	MLF1124	COVRAD - JACKET WATER CORE, ULTRAFUSED 6 ROW CORE, SOLDER COATED FIN, HEAVY DUTY	987	1065	125	9	TUBE	1122 x 220 F	1122 x 220 F	HEADER DRILLINGS DIFFERENT TO MLF1488 & MLF1489 GASKETS NOT TOOLED
COV 808	MLF1489	COVRAD - JACKET WATER CORE, ULTRAFUSED 6 ROW CORE. GASKETS: TOP SP-5435 BOTTOM SP-5435	988	1080	120	9	TUBE	1124 x 220 F	1124 x 220 F	H/DUTY REFER MLF1448 GASKET KIT SP-5435/SC-92K OR SP-5435/C6327K
COV 809	MLF1488	COVRAD - JACKET WATER CORE, ULTRAFUSED 6 ROW CORE; SOLDER COATED FIN, HEAVY DUTY. GASKETS: TOP SP-5435 BOTTOM SP-5435	988	1080	120	9	TUBE	1124 x 220 F	1124 x 220 F	HEADER DRILLINGS DIFFERENT TO MLF1486 & MLF1124 GASKET KIT SP-5435/SC-92K OR SP-5435/C6327K
COV 810	MC-1121	COVRAD - CHARGE AIR TO AIR, 6 ROW CORE SOLDER COATED FIN	988	1060	145	5	TUBE	1125 x 242 F	1125 x 242 F	GASKETS NOT TOOLED
COV 811	CA-1667	COVRAD - CHARGE AIR TO AIR, 12 ROW CORE SOLDER COATED FIN GASKETS: TOP S-546 BOTTOM S-546	982	1090	303	5.5	TUBE	1145 x 388	1145 x 388	GASKET KIT S-546/K GASKETS AVAILABLE IN C6327 MATERIAL ONLY
	CAF1673	COVRAD CHARGE AIR	990	1030	201	5.5	TUBE	1130 x 298	1130 x 298	GASKETS NOT TOOLED

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CRA 601	MLF1443	CRANE CARRIER CAT 3208 ULTRAFUSED 4 ROW CORE~TCUMMINS INDUSTRIAL~7.062	662	667	72	9	TUBE	713 x 184 F	713 x 184 F	GASKETS NOT TOOLED

CRANE CARRIER



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CUM 831	SP-1213/3ML11	CUMMINS STATIONARY 4B, 4BT G1, G2. AIR-RAD'S ASS'Y SBS-1591/2 GASKETS: TOP SP-1283 BOTTOM SP-1283	559	540	57	9	TUBE	601 x 140 F	601 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
CUM 832	SP-1223/4ML11	CUMMINS STATIONARY 6BT G1. AIR-RAD'S ASS'Y SBS-1591/3 GASKETS: TOP SP-1283 BOTTOM SP-1283	559	540	76	9	TUBE	601 x 140 F	601 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
CUM 833	SP-654/5MLF11	CUMMINS STATIONARY KTTA 19 G2 AIR-RAD'S ASS'Y ABA-2442, 2 CORES PER ASSY ULTRAFUSED CORE GASKETS: TOP SP-623 BOTTOM SP-623	648	1365	95	9	TUBE	1448 x 178 F	1448 x 178 F	FOR TANKS/PARTS REF PARTS CAT 2 CORES PER ASSY GASKET KIT SP-623/SC-92K OR SP-623/C6327K
CUM 834	SP-1226/4ML11	CUMMINS STATIONARY 6CT, 6CTA. AIR-RAD'S ASS'Y SBS-2242 GASKETS: TOP SP-1286 BOTTOM SP-1286	686	667	73	9	TUBE	730 x 140 F	730 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
CUM 835	ABA-2230/5MLF11	CUMMINS STATIONARY VTA 28 G3 AIR-RAD'S ASS'Y ABA-2230, 2 CORES PER ASS'Y ULTRAFUSED CORE GASKETS: TOP SP-623 BOTTOM SP-623	781	1365	95	11	TUBE	1448 x 178 F	1448 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-623/SC-92K OR SP-623/C6327K
CUM 836	SP-57/4MLF11	CUMMINS STATIONARY KTA 38 G1 AIR-RAD'S ASS'Y ABA-1400/1, 4 CORES PER ASS'Y ULTRAFUSED CORE GASKETS: TOP SP-371 BOTTOM SP-371	781	778	76	9	TUBE	848 x 178 F	848 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-371/SC-92K OR SP-371/C6327K
CUM 837	ABA-1617/3MLF11	CUMMINS STATIONARY NT855 G4, G5, AIR RAD'S ASS'Y ABA-1617-1, ULTRAFUSED CORE GASKETS: TOP SP-375 BOTTOM SP-375	914	937	57	9	TUBE	1019 x 178 F	1019 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-375/SC-92K OR SP-375/C6327K
CUM 838	ABA-1617/5MLF11	CUMMINS STATIONARY NT855 G6, NTA855 G3 AIR-RAD'S ASS'Y ABA-1617/3. ULTRAFUSED CORE GASKETS: TOP SP-375 BOTTOM SP-375	914	937	95	9	TUBE	1019 x 178 F	1019 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-375/SC-92K OR SP-375/C6327K
CUM 839	MLF1441	CUMMINS INDUSTRIAL, ULTRAFUSED 4 ROW CORE	968	910	75	9	TUBE	972 x 208 F	972 x 208 F	GASKETS NOT TOOLED SEE MLF1444 FOR 5 ROW VERSION
CUM 840	SP-83/5MLF11	CUMMINS STATIONARY KTA 38 G3 (REPLACES KTTA 38 G1) KTA 50 G1, KTA 50 G3, KTA 50 G4, KTTA 50 G2. ULTRAFUSED CORE. 4 CORES PER ASS'Y GASKETS: TOP SP-376 BOTTOM SP-376	1003	984	95	9	TUBE	1062 x 178 F	1062 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-376/SC-92K OF SP-376/C6327K
CUM 841	SP-87/4MLF11	CUMMINS STATIONARY NTA 855 G3. AIR-RAD'S ASS'Y ABA-1397 ULTRAFUSED CORE GASKETS: TOP SP-377 BOTTOM SP-377	1048	1032	76	9	TUBE	1105 x 178 F	1105 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-377/SC-92K OR SP-377/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
CUM 842	MLF1216	CUMMINS NT-855, TC-5029,#MH220 PR. ULTRAFUSED 5 ROW CORE	1065	889	95	9	TUBE	1006 x 203 F	1006 x 203 F	GASKETS NOT TOOLED
CUM 843	MLF1485	CUMMINS INDUSTRIAL, ULTRAFUSED 4 ROW CORE	1067	889	76	9	TUBE	1000 x 206 F	1000 x 206 F	
CUM 844	SP-97/4MLF11	CUMMINS STATIONARY KTTA 19 G1 AIR-RAD'S ASS'Y ABA-1398/1 ULTRAFUSED CORE GASKETS: TOP SP-379 BOTTOM SP-379	1137	1111	76	9	TUBE	1190 x 178 F	1190 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-372/SC-92K OR SP-372/C6327K
CUM 845	SP-98/5MLF11	CUMMINS STATIONARY KTA 19 G2 AIR-RAD'S ASS'Y ABA-1398/2 ULTRAFUSED CORE GASKETS: TOP SP-379 BOTTOM SP-379	1137	1111	95	9	TUBE	1190 x 178 F	1190 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-379/SC-92K OR SP-379/C6327K
CUM 846	MLF1438	CUMMINS GEN SET. ULTRAFUSED 6 ROW CORE	1220	1165	115	10	TUBE	1224 x 235 F	1224 x 235 F	GASKETS NOT TOOLED
CUM 847	ABA-1407	CUMMINS VTA-1710GC, REPLACEMENT ULTRAFUSED CORE KIT	1354	1325	115	10	TUBE	1406 x 260 F	1406 x 260 F	KIT INCLUDES 2 x MLF1069 CORES WITH CENTRE TANK, INC' GASKETS, BOLTS & INSTRUCTIONS REFER AIR RADIATORS' PARTS CATALOGUE FOR PRICING.
CUM 848	ABA-1407/SC	CUMMINS VTA-1710GC, REPLACEMENT ULTRAFUSED CORE KIT SOLDER COATED FIN	1354	1325	115	10	TUBE	1406 x 260 F	1406 x 260 F	KIT AS ABOVE WITH MLF1070 HEAVY DUTY CORES REFER AIR RADIATORS' PARTS CATALOGUE FOR PRICING.
CUM 849	MLF1485	CUMMINS ULTRAFUSED 4 ROW CORE	1067	889	76	9	TUBE	1000 x 206 F	1000 x 206 F	GASKETS NOT TOOLED
CUM 850	MLF1425	CUMMINS VTA1710 P700 ULTRAFUSED 4 ROW CORE	670	1243	76	9	TUBE	1289 x 178 F	1289 x 178 F	GASKETS NOT TOOLED
CUM 851	MLF1444	CUMMINS GEN SET ULTRAFUSED 5 ROW CORE	968	910	115	12	TUBE	972 x 208 F	972 x 208 F	GASKETS NOT TOOLED SE MLF1441 FOR 4 ROW VERSION
CUM 852	MLF1487	CUMMINS GEN SET ULTRAFUSED 5 ROW CORE	670	1243	95	9	TUBE	1289 x 178 F	1289 x 178 F	GASKETS NOT TOOLED
CUM 853	MLF1472	CUMMINS STATIONARY	1070	888	120	7	TUBE	980 x 190 F	980 x 190 F	
	ML-1724	CUMMINS	862	841	73	11	TUBE	902 x 178 F	902 x 178 F	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
MLF1069		CUMMINS 6 ROW CORE ULTRAFUSED	662	1334	108	11	TUBE	1406.5 x 260 F	1372 x 178 F	GASKETS NOT TOOLED
MLF1070		CUMMINS 6 ROW CORE ULTRAFUSED SC FIN	662	1334	108	11	TUBE	1406.5 x 260 F	1372 x 178 F	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
DNG 408	SBW-1648/5MLF11	DENNING LANDSEER COACH-REAR MOUNTED-CROSS FLOW DETROIT 6V & 8V. AIR RAD'S ASS'Y No: SBW-1648 ULTRAFUSED 5 ROW CORE - OVEN BAKED GASKETS: TOP SP-1466 BOTTOM SP-1466	950	670	114	10	TUBE	730 x 180 F	730 x 180 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
DNG 409 H/DUTY	MLF1635	DENNING LANDSEER COACH-REAR MOUNT-CROSS FLOW DETROIT 6V & 8V. AIR RAD'S ASS'Y No: SBW-1648 ULTRAFUSED 5 ROW CORE - SOLDER COATED FIN REPLACES SBW-1648/6MDF9H GASKETS: TOP SP-1466 BOTTOM SP-1466	950	670	114	10	TUBE	730 x 180 F	730 x 180 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
DNG 504	MLF1045	DENNING REAR - MID MOUNT ULTRAFUSED 5 ROW CORE	787	762	95	9	TUBE	841 x 175 F	841 x 175 F	GASKETS NOT TOOLED HEADER DRILLINGS DIFFERENT TO MLF1542 SEE DRAWING S-498 FOR VARIATIONS.
DNG 505	MLF1542	DENNING REAR - MID MOUNT ULTRAFUSED 5 ROW CORE	787	762	95	9	TUBE	841 x 175 F	841 x 175 F	GASKETS NOT TOOLED HEADER DRILLINGS DIFFERENT TO MLF1045. SEE DRAWING S-498 FOR VARIATIONS.
DNG 511	MLF1142	DENNING COACH, AIR LEAF, REAR MID MOUNT, DETROIT 8V71NA & 6V92T, ULTRAFUSED 5 ROW CORE ~TDIAMOND T~9.015	830	746	100	10	TUBE	770 X 128 T	770 x 128 T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
DIA 819	MLF1044	DIAMOND T ULTRAFUSED 5 ROW CORE	865	699	95	9	TUBE	772 x 170 F	720 x 120 T	FLANGED BOTTOM HEADER PLATE GASKETS NOT TOOLED
DIA 820	MLF1046	DIAMOND T KE-8527 ULTRAFUSED 5 ROW CORE	942	695	95	9	TUBE	772 x 172 F	772 x 172 F	GASKETS NOT TOOLED

DIAMOND T



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
DMN 606	SBS-557/4ML9	DOMINO MINESMOBILE. AWD-1027, 2WD, PET ENGINE 4/236 T/C, AIR-RAD'S ASS'Y ARO-557 & RADIATOR SBS-557 GASKETS: TOP SBS-6-557 BOTTOM SBS-6-557	483	365	76	9	TUBE	430 x 140 F	430 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SBS-557/SC-92K OR SBS-557/C6327K
DMN 803	SBW-1071/5MLF9	DOMINO MWM916-4. ENGINE: 1959-3 AIR-RAD'S ASS'Y ARO-1761 (ARO-1071 OLD STYLE) ULTRAFUSED CORE GASKETS: TOP SP-1466 BOTTOM SP-1466	533	667	95	9	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
DMN 804	SP-1223/4MLF11	DOMINO, SAC 60, MWM T/C, MYNE BUS, MWM 916 & MYNE GRADER, AIR-RAD'S ASS'Y ARO-644, ARO-1183, ARO-1487, ARP-1078 & RADIATORS SBS-644, SBS-1183, SBS-1487, SBS-1078, SBS-925 ULTRAFUSED CORE GASKETS: TOP SP-1283 BOTTOM SP-1283	559	540	76	9	TUBE	601 x 140 F	601 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
DMN 805	SBW-1272/6ML9	DOMINO MYNE CAR. ENGINE:MWM 916/6 & CLARK TRANS AIR-RAD'S ASS'Y ARO-1272 & RADIATOR SBW-1272 GASKETS: TOP SP-1465 BOTTOM SP-1465	559	619	114	9	TUBE	687 x 178 F	687 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
DMN 806	SBS-762/4ML11	DOMINO, HAC 60, MINE GRADER, MWM HYDRO, DOMINO MWM. AIR-RAD'S ASS'Y ARO-762, ARO-1054 & RADIATOR SBS-762 GASKETS: TOP SP-1281 BOTTOM SP-1281	686	460	76	9	TUBE	516 x 140 F	516 x 140 F	GASKET KIT SP-1281/SC-92K OR SP-1281/C6327K
DMN 807	SBW-1501/6MLF9	DOMINO PET. ENGINE: MWM 916/6 & CLARK TRANS AIR-RAD'S ASS'Y ARO-1501 & RADIATOR SBW-1501 ULTRAFUSED CORE GASKETS: TOP SP-1461 BOTTOM SP-1461	737	460	114	9	TUBE	516 x 178 F	516 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1461/SC-92K OR SP-1461/C6327K
DMN 809	MLF1634	DOMINO MYNE BUS II. ENGINE MWM 916/4 SOLDER COATED FIN AIR-RAD'S ASS'Y ARO 1840 & RADIATOR SBW-1842 ULTRAFUSED CORE. REPLACES ARO-1842/6MDF9H GASKETS: TOP SP-1465 BOTTOM SP-1465	737	619	114	9	TUBE	687 x 178 F	687 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
EIM 805	MLF1144	EIMCO TRUCK ULTRAFUSED 5 ROW CORE	687	667	95	9	TUBE	740 x 180 F	740 x 180 F	GASKETS NOT TOOLED
EIM 813	ML-1064	EIMCO MINER	687	667	105	8	TUBE	737 x 159 F	737 x 159 F	GASKETS NOT TOOLED
EIM 604	MLF1625	EIMCO MINE TRACTOR. CAT3306. SOLDER COATED FIN. ULTRAFUSED 8 ROW CORE. SUITS NATRA ASSY DF3165	844	810	149	9	TUBE	860 x 236 F	860 x 236 F	GASKETS NOT TOOLED
EIM 606	MLF1609	EIMCO 130 (CAT 3306). SOLDER COATED FIN ULTRAFUSED 8 ROW CORE. AIR RADS ASSY XMW28160 GASKETS: TOP X001029A/C6327 BTM X001029A/C6327	846	794	149	9	TUBE	859 x 216	859 x 216	GASKET KIT X001029A/C6327K
EIM 603	MLF1649	EIMCO LOADER. SOLDER COATED FIN ULTRAFUSED 8 ROW CORE REPLACES NATRA HSD CORE	736	667	144	10	TUBE	740 x 210 F	740 x 210 F	GASKETS NOT TOOLED
EIM 607	MLF1657	913 LOADER, ULTRAFUSED 8 ROW CORE BASED ON NATRA ASSY DF2075 AIR RADS ASSY XFW29010	736	667	149	9	TUBE	730 x 216 F	730 x 216 F	GASKET KIT X001026A/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
EUC 406	MLF1218	EUCLID ULTRAFUSED 6 ROW CORE	1016	1197	114	9	TUBE	1318 x 216 F	1318 x 216 F	GASKETS NOT TOOLED
EUC 819	MDF1072	EUCLID 99FD, 100FD, 207FD. ULTRAFUSED 6 ROW CORE	645	889	114	9	TUBE	1003 x 184 F	1003 x 184 F	GASKETS NOT TOOLED
EUC 818	MLF1220	EUCLID R85 ULTRAFUSED 6 ROW CORE	1168	1683	114	9	TUBE	1784 x 215 F	1784 x 215 F	GASKETS NOT TOOLED
EUC 808	MLF1600	EUCLID 324 LD REAR DUMP KTA19 CUMMINS ULTRAFUSED 6 ROW CORE	1118	1360	112	10	TUBE	1494 x 241 F	1494 X 241 F	GASKETS NOT TOOLED FOR H/DUTY SEE MLF1599
EUC 808 H/DUTY	MLF1599	EUCLID 324 LD REAR DUMP KTA19 CUMMINS SOLDER COATED FIN, ULTRAFUSED 6 ROW CORE	1118	1360	112	10	TUBE	1494 x 241 F	1494 x 241 F	GASKETS NOT TOOLED

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
FIA 226	ML-1246	FIAT TRACTOR	464	413	57	8	TUBE	422 x 121 T	422 x 70 T	
FIA 227	ML-1245	FIAT 1968/69 124 - 125	292	479	41	12	TUBE	486 x 51 T	486 X 51 T	
FIA 412	ML-1215	FIAT L52 CRAWLER TRACTOR	606	587	86	6	TUBE	667 x 156 T	667 x 156 T	
FIA 265	MD-1461	FIAT TRACTOR MODEL 1180 DT 1983	630	540	75	7	TUBE	548 x 90 T	548 x 90 T	
FIA 744	SL-1464	FIAT 450 TRACTOR 3 ROW CORE	445	445	55	7	TUBE	464 x 95 T	464 x 75 T	

FIAT



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
FOR 215	ML-1308	FORD MAINLINE 1940/53 8BA	495	508	57	11	TUBE	508 x 102 T	508 x 59 T	
FOR 221	ML-1305	FORD TRAXCAVATOR	610	508	95	9	TUBE	510 x 100 T	510 x 100 T	
FOR 281	ML-1310	FORD D1000	518	635	70	10	TUBE	676 x 98 T	651 x 79 T	
FOR 287	ML-1311	FORD 1964 THAMES TRADER "K" SERIES	562	545	65	10	TUBE	567 x 76 T	567 x 76 T	
FOR 298	ML-1312	FORD 1966/67 F350, F100	489	667	44	10	TUBE	681 x 79 T	681 x 79 T	
FOR 880	ML-1309	FORD 1965 F250, F350, C5TA, 8005AM	457	603	32	10	TUBE	606 x 67 T	606 x 51 T	
FOR 2206	ML-1313	FORD 1976 D850	588	635	66	10	TUBE	677 x 99 T	648 x 78 T	
FOR 8220	ML-1054	FORD F100 CROSS FLOW SUITS 6 & 8 CYLINDER	458	603	38	12.5	CT	604 x 68 T	604 x 52 T	FLANGED HEADERS
FOR 8227	ML-1108	FORD LOUISVILLE 1977 LNT8000	766	665	58	13	TUBE	682 x 79 T	682 x 79 T	
FOR 8259	ML-1306	FORD 1982 F350 ARMAGUARD.	696	495	38	10	CT	525 x 73 T	525 x 73 T	
FOR 8358	SBS-1638/4ML11	FORD CARGO II AND III - CAT 3208 MANUAL & AUTO GASKETS: TOP SP-1284 BOTTOM SP-1284	686	587	76	12.5	TUBE	644 x 140 F	644 x 140 F	GASKET KIT SP-1284/SC-92K
FOR 8359	SBW-1661/5ML11 C/HOLE	FORD CARGO II AND III - CAT 3208 LIVE CRANK HOLE MANUAL & AUTO 6" CRANK HOLE GASKETS: TOP SP-1464 BOTTOM SP-1464	686	587	95	12.5	TUBE	644 x 178 F	644 x 178 F	FOR CORE WITHOUT LIVE CRANK HOLE, USE SBW-2227/5MLF11 LISTED UNDER RFW GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
FOR 8405	ML-1307	FORD TRACTOR 1980, 8401	625	556	75	5.5	TUBE	558 x 112 T	558 x 112 T	
FOR 8406	ML-1304	FORD CARGO 81DB8006RH, WK1/83	701	641	65	14	CT	628 x 82 T	628 x 82 T	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
FOR 9211	VHF1013	LNT 9000 LOUISVILLE HIGH FLOW CROSSFLOW ULTRAFUSED 3 ROW CORE. TO 350 HP AS ORIGINAL SPEC GASKETS: TOP 2 x SP-4991 BOTTOM 1 x SP-4992	963	699	56	16	CT	789 X 260 F	789 X 150 F	CROSS BRACES MUST BE FITTED GASKET KIT GSK-1/SC-92 OR GSK-1/C6327	
FOR 9294	VHF1016/K	LTL 9000 CATERPILLAR 3406 B & CUMMINS NTC HIGH FLOW ULTRAFUSED 3 ROW CORE CORE MADE MID TOLERANCE TO OVERCOME FITTING DIFFICULTIES CAUSED BY STEELWORK VARIATIONS GASKETS: TOP 2 x SP-5375 BOTTOM 1 x SP-5376	1097	850	58	17	CT	937 x 235 F	937 x 140 F	ORIG. MODINE 3 ROW BETA WELD REWORK KIT P/No. S-347, MUST BE FITTED REF T.I.B. #12 NON FITMENT VOIDS WARRANTY GASKET KIT GSK-2/SC-92 OR GSK-2/C6327	
FOR 9340	VL1015/K	LTL 9000 LOUISVILLE CUMMINS N14 O.A.C. LOW FLOW ULTRAFUSED 3 ROW CORE CORE MADE MID TOLERANCE TO OVERCOME FITTING DIFFICULTIES CAUSED BY STEELWORK VARIATIONS GASKETS: TOP 2 x SP-5375 BOTTOM 1 x SP-5376	1097	850	58	14	CT	937 x 235 F	937 x 140 F	ORIG. MODINE 3 ROW BETA WELD REWORK KIT P/No. S-347 MUST BE FITTED REF T.I.B. #12 NON FITMENT VOIDS WARRANTY GASKET KIT GSK-2/SC-92 OR GSK-2/C6327	
FOR 9345	VL1024/K	LTS 9000 LOUISVILLE LOW FLOW CROSS FLO ULTRAFUSED 4 ROW CORE GASKETS: TOP 2 x SP-4991 BOTTOM 1 x SP-4992 TANK BAFFLE GASKET - 1 x SP-5237	963	699	78	16	CT	789 x 260 F	789 x 150 F	CROSS BRACES MUST BE FITTED GASKET KIT GSK-1/SC-92 OR GSK-1/C6327 BAFFLE GASKET	
FOR 9408	VL1088	LTL/LTS 9000 N14 LOW FLOW, 320HP, SUITS AIR RADIATORS ASSY SMW10210 GASKETS: TOP SP-1286 BOTTOM SP-1286T	990	664	56	16	CT	730 x140 F	730 x 140 F	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K	
FOR 9409	VL1103	LTL/LTS 9000 N14 LOW FLOW, 365HP, SUITS AIR RADIATORS ASSY SMW10211 GASKETS: TOP SP-1286 BOTTOM SP-1286	990	664	76	16	CT	730 x140 F	730 x 140 F	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K	
		LTL/LTS 9000 CUMMINS N14 LOW FLOW MODINE ADTECH (PLASTIC TANK) ASSEMBLY 320-365 HP	950	710	51	15	CT	735 x 76 T	735 x 76 T	REPLACEMENT CORE NOT OFFERED BOLT ON STEEL TANK ASSY ONLY REFER AIR RADIATORS PARTS CATALOGUE (P/No. SMMW10211)	
		LTL/LTS 9000 CAT 3406 ATAAC AND SERIES 60 MODINE ADTECH (PLASTIC TANK) ASSEMBLY	950	710	51	15	CT			REPLACEMENT CORE OR BOLT ON STEEL TANK ASSY NOT OFFERED FOR HIGH FLOW ENGINES	
FOR 2432	MD-1465	FORD TRACTOR	510	508	55	7	TUBE	510 x 102 T	510 x 102 T		

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
FRE 901	VHF1017	FREIGHTLINER - CAT 3406 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5238 BOTTOM SP-5238	938	816	76	10	CT	878 x 171 F	878 x 171 F	ORIGINAL MODINE BETA WELD GASKET KIT SP-5238/SC-92K OR SP-5238/C6327K	
FRE 902	VL1074	FREIGHTLINER - N14 CUMMINS LOW FLOW ULTRAFUSED 4 ROW CORE 2 PASS SIDE TO SIDE GASKETS: TOP SP-5238 BOTTOM SP-5238	938	816	76	16	CT	878 x 171 F	878 x 171 F	ORIGINAL MODINE BETA WELD GASKET KIT SP-5238/SC-92K OR SP-5238/C6327K	
FRE 903	VHF1517	FREIGHTLINER - FL112 ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-5238 BOTTOM SP-5238	938	816	56	16	CT	878 x 171	878 x 171	REPLACES ORIGINAL McCORD 3 ROW CORE AND BEHR 2 ROW CORE GASKET KIT SP-5238/SC-92K OR SP-5238/C6327K	
	MLF1943	FREIGHTLINER	938	810	73	12.5	TUBE	878 x 172F	878 x 172F	ORIGINAL MODINE BETA WELD GASKET KIT SP-5238/SC-92K OR SP-5238/C6327K	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
HIN 804	ML-1260	HINO RU BUS	614	648	84	10	TUBE	654 x 95 T	654 x 95 T	
HIN 805	ML-1247	HINO RG 197 BUS TD60B ENG.	616	651	73	12.5	CT	650 x 90 T	650 x 90 T	

HINO



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
HIT 801	MLF1078	HITACHI EXCAVATOR UH-143 ULTRAFUSED CORE	867	795	120	9	TUBE	797 x 127 T	797 x 127 T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
HOB 801	MLF1261	HOBART WELDER 75KVA	811	714	57	10	TUBE	788 x 158 T	788 x 158 T	

HOBART



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE							TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ					
HYS 208	ML-1263	HYSTER S60B, S70B, S80B, S100B.	492	476	70	10	TUBE	503 x 87 T	503 x 87 T			
HYS 211	ML-1264	HYSTER 1967 S40, S50 MAN & AUTO	394	492	83	9	TUBE	505 x 89 T	505 x 89 T			
HYS 213	ML-1265	HYSTER S80 AUTO	495	460	70	10	TUBE	476 x 83 T	476 x 83 T			
HYS 214	ML-1266	HYSTER H80B	508	476	83	10	TUBE	502 x 84 T	502 x 84 T			
HYS 215	ML-1267	HYSTER H120C	438	572	70	9	TUBE	603 x 89 T	603 x 89 T			
HYS 224	ML-1262	HYSTER H50(H)	462	460	95	7.5	TUBE	477 x 106 T	477 x 106 T			
HYS 409	ML-1268	HYSTER H40F, H50F, H60F	495	460	95	7	TUBE	479 x 108 T	479 x 108 T			

HYSTER



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE							REMARKS
			H	W	Th	FPI	Typ	TOP HDR	BTM HDR	
IMC 208	ML-1269	I.M.C.D. 1942/60 FARMALL W6, WD6, AU6, AD6	575	467	60	6	TUBE	502 x 221 T	502 x 106 T	
IMC 221	ML-1271	I.M.C.D. 1953/63 SUPER FARMALL DIESEL AM, AW6, AUD.	575	470	76	6	TUBE	502 x 221 T	502 x 106 T	
IMC 237	ML-1119	I.M.C.D. 1964/72 TRACTOR A414, 434, LOADER 1010 ORIG' # 845199R92	427	443	76	7.5	TUBE	465 x 140 T	465 x 84 T	
IMC 258	ML-1273	I.M.C.D. 1969 TRACTOR 396352R91, 760, 530458R91	518	486	98	6	TUBE	495 x 106 T	495 x 106 T	
IMC 270	ML-1274	I.M.C.D. 1974 TRACTOR 464, 674.	465	444	58	7	TUBE	451 x 64 T	451 x 64 T	
IMC 280	MDF1481	INTER-DRESSER 500 LOADER ULTRAFUSED 8 ROW CORE	997	565	154	8	TUBE	578 x 235 F	578 x 235 F	GASKETS NOT TOOLED
IMC 281	MLF1483	INTER TD20E CRAWLER TRACTOR, SOLDER COATED FIN ULTRAFUSED 6 ROW CORE	1092	920	150	7	TUBE	993 x 229 F	993 x 229 F	GASKETS NOT TOOLED
IMC 282	MD-1462	INTER TRACTOR MODEL 4366	522	730	112	9	TUBE	755 x 124 T	775 x 124 T	
IMC 283	MDF1457	INTERNATIONAL HOUGH 90 ULTRAFUSED 7 ROW CORE	822	840	140	9		894 x 198	894 x 198	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
IND 830	MLF1435	INDUSTRIAL RADIATOR, PAXMAN GEN SET 1963 BUILD V-6 250. ULTRAFUSED CORE	1177	1130	100	8	TUBE	1180 x 191 F	1180 x 191 F	GASKETS NOT TOOLED
IND 831	MC-1201	INDUSTRIAL RADIATOR CHARGE AIR	910	1050	230	5	TUBE	1123 x 325 F	1123 x 325 F	GASKETS NOT TOOLED
IND 832	MCF1496	INDUSTRIAL RADIATOR CHARGE AIR	992	1220	223	5	TUBE	1292 x 300 F	1292 x 300 F	GASKETS NOT TOOLED
IND 833	MLF1435	INDUSTRIAL RADIATOR PAXMAN GEN SET	1177	1130	100	8	TUBE	1180 x 191 F	1180 x 191 F	GASKETS NOT TOOLED
IND 834	ZFW13911 KIT	DETROIT GEN SET REPLACEMENT ULTRAFUSED CORE KIT	1621	1675	110	9	TUBE	1750 x 210 F	1750 x 210 F	KIT INCLUDES 2 CORES MLF1448, CENTRE TANK, REO BARS GASKETS & INSTRUCTIONS
IND 835	ZFW13910 KIT	DETROIT GEN SET REPLACEMENT ULTRAFUSED CORE KIT SOLDER COATED FIN	1621	1675	110	9	TUBE	1750 x 210 F	1750 x 210 F	KIT INCLUDES 2 H/DUTY CORES, MLF1447, CENTRE TANK, REO BARS GASKETS & INSTRUCTIONS
IND 836	ML-1429	DORMAN 6LC	635	629	76	9	TUBE	705 x 127 F	705 x 127 F	GASKETS NOT TOOLED
IND 837	MLF1503	DORMAN	914	766	97	9	TUBE	828 x 181 F	828 x 181 F	GASKETS NOT TOOLED
IND 838	ZFW18860 KIT #	INDUSTRIAL RADIATOR. SULLAIR COMPRESSOR ORIGINAL ONE CORE RADIATOR ULTRAFUSED 5 ROW CORES	1478	1524	75	10	TUBE	1524 x 203 F	1524 x 203 F	AIR RADS KIT INCLUDES 2 CORES, Z18860/5MLF11, CENTRE TANK, BOLTS, REO BARS, GASKETS AND INSTRUCTIONS REFER AIR RADIATORS' PARTS CATALOGUE FOR PRICING

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
INT 230	ML-1325	INTER 1941/60 K8-11, KB-8, KBR8-11, L190, 192, AR-190, 192, RL-195, AR-195, R200-212, RF-195, R100	632	603	76	10	TUBE	613 x 81 T	613 x 81 T	
INT 232	ML-1326	INTER 1948/60 L160-62, AR160-62, L170-72, RS, A160-62, RL160, AL160	457	556	76	9.5	TUBE	568 x 87 T	568 x 87 T	
INT 239	ML-1327	INTER 1958/60 AA110-148, AA130, 855826R91	425	600	44	9	TUBE	606 x 64 T	606 x 64 T	
INT 240	ML-1328	INTER 1958/60, AA160-4x4W, AA150, ACCO170-R91, AA162	518	600	57	10	TUBE	606 x 64 T	606 x 64 T	
INT 241	ML-1333	INTER 1958/59 A182, 1BD282, AA160, AC170-180 WR6, AA160 DIESEL, AA180 BCF-170-174, A812W TANDEM	610	603	57	9	TUBE	606 x 64 T	606 x 64 T	
INT 245	ML-1329	INTER 1960 AA150-60 4x4, AB110, AB130 18cwt UTE, C1300 C1500, L1100, AB160, 162, 164, D1310. AB120, C1640	460	686	57	9	TUBE	694 x 64 T	694 x 64 T	
INT 246	ML-1090	INTER A961, AA182, AB1670, AB180, C1600, C1800, ABD182, B1710, D1810, ABD164, ACCO T182-180, D1410, 1310	549	683	57	10	TUBE	694 x 64 T	694 x 64 T	
INT 252	ML-1330	INTER 1961, AA182 ACCO D1840, C1800 DIESEL	549	686	57	7.5	TUBE	695 x 65 T	695 x 65 T	
INT 253	ML-1331	INTER LOADSTAR 1965 F1800 V8	675	651	44	11	TUBE	667 x 60 T	667 x 60 T	
INT 592	MLF1034	TRANSTAR - ASSEMBLY NO. 376589C94 ULTRAFUSED CORE TO REPLACE SOLDER CORE 27914L11	965	667	71	11	TUBE	730 x 308 F	730 x 175 F	GASKETS NOT TOOLED
INT 856	ML-1332	INTER 1968 ACCO F1950, C1900, 1840.	625	686	75	11	TUBE	695 x 83 T	695 x 83 T	
INT 866	ML-1334	INTER 1967/68 C1840 V392ENG, C1800, AA184.	549	686	75	11	TUBE	695 x 83 T	695 x 83 T	
INT 874	ML-1336	INTER 1971 V392ENG 3017713-R92, 3017718-R91	660	622	64	10	TUBE	635 x 83 T	635 x 83 T	
INT 875	ML-1337	INTER 1971 V345ENG 3017718-R91, 3017712K-R91	660	622	52	9	TUBE	635 x 83 T	635 x 83 T	
INT 876	ML-1338	INTER 1971 DD353ENG 3017714R91	660	622	64	12	TUBE	635 x 83 T	635 x 83 T	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
INT 877 INT 883	ML-1100	INTER DV53, DV550, DV504, 1971 ASSY#3017720-R91, 1950, ACCO 1952A	767	622	75	10 12	TUBE	635 x 83 T	635 x 83 T	CRANK HOLE OPTION SEE ML-1101	
INT 887	SP-1390/4MLF11	'T' LINE - 2670 N86 HI FLOW 400 HP ASSEMBLY NO. 3250307R91 ULTRAFUSED CORE GASKETS: TOP SP-1470 BOTTOM SP-1470	889	841	76	11	TUBE	902 x 178 F	902 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K	
INT 888	SP-3261/3MLF11	'T' LINE - 2670 N86 HI FLOW 350 HP ASSEMBLY NO. 3250306R91 ULTRAFUSED CORE GASKETS: TOP SP-1470 BOTTOM SP-1470	889	841	57	11	TUBE	902 x 178 F	902 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K	
INT 889	ML-1340	INTER D1810, V8345, 3208916R91	549	686	52	10	TUBE	695 x 84 T	695 x 84 T		
INT 890	ML-1341	INTER D1710, 320889R91	549	686	52	7	TUBE	695 x 84 T	695 x 84 T		
INT 894	ML-1342	INTER 1972 V555 301895R91, 2150	818	622	75	12	TUBE	635 x 83 T	635 x 83 T		
INT 895	SP-1673/4MLF11	ACCO BUS T635.4 PERKINS, D358 DIESEL, PETROL ULTRAFUSED CORE GASKETS: TOP SP-1285 BOTTOM SP-1285	686	629	76	12	TUBE	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K	
INT 2118	ML-1345	INTER 856 TRACTOR 386860R91	586	498	101	8	TUBE	497 x 108 T	497 x 108 T		
INT 3153	SBS-1-1839	TRANSTAR - F4670 CUMMINS N14 LOW FLOW 444 HP ASSEMBLY NO. 3252747R94. 4 PASS SOLDER CORE NO LONGER AVAILABLE - REFER REMARKS	1218	841	76	12.5	TUBE	902 x 140 F	902 x 140 F	USE REPLACEMENT PANEL SBS-2338 REFER PARTS CATALOGUE	
INT 5109	MLF1450	'T' LINE CAST ALUMINIUM TANK, ASSY NO. 3213486R93 NTC230 & DT466 ASSY NO. 3213485R93 NTC290-350 WITHOUT A/CON. ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-4994 BOTTOM SP-4995	890	873	57	8	TUBE	940 x 240 F	940 x 206 F	STEEL TANKS/PARTS AVAIL REFER PARTS CAT C/HOLE SEE MLF1151 H/DUTY SEE MLF1028 GASKET KIT GSK-3/SC-92 OR GSK-3/C6327	
INT 5110	MLF1028	'T' LINE CAST ALUMINIUM TANK, ASS'No,3213487R93 NTC290 & NTC350 WITH A/CON. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-4994 BOTTOM SP-4995	890	873	76	9	TUBE	940 x 240 F	940 x 206 F	STEEL TANKS/PARTS AVAIL REFER PARTS CAT C/HOLE SEE MLF1151 GASKET KIT GSK-3/SC-92 OR GSK-3/C6327	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
INT 5127	MLF1178	ATKINSON BY INTERNATIONAL F4870 ALUMINIUM TANK 3260448R1 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-4994 BOTTOM SP-4995	1040	872	76	11	TUBE	940 x 240 F	940 x 206 F	GASKET KIT GSK-3/SC-92 OR GSK-3/C6327
INT 8102	ML-1089	ACCO 3070A ASSY #3211654R1 & 3211653R91	818	686	75	12	TUBE	695 x 83 R	695 x 83 T	
INT 8110	MLF1151 C/HOLE	T' LINE CAST ALUMINIUM TANK ASSY WITH CRANKHOLE OPTION ULTRAFUSED 4 ROW CORE. 6" CRANK HOLE GASKETS: TOP SP-4994 BOTTOM SP-4995	890	873	76	9	TUBE	940 x 240 F	940 x 206 F	GASKET KIT GSK-3/SC-92 OR GSK-3/C6327
INT 8132	MLF1092	TRANSTAR 1200 SQIN F4370 NT350, F4270 8V71T 4324635R1 & 473651C1 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-4996 BOTTOM SP-4996	946	826	73	13	CT	900 x 172 F	900 x 172 F	GASKET KIT SP-4996/SC-92K OR SP-4996/C6327K
INT 8134	MLF1344	TRANSTAR 1500 SQIN F4370 NTC400, F4270 8V71TA 4324636R1 & 435905C2 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-4997 BOTTOM SP-4997	946	1022	73	12	CT	1097 x 172 F	1097 x 172 F	GASKET KIT SP-4997/SC-92K OR SP-4997/C6327K
INT 8145	SBS-1-1763	ACCO - 1850 PERKINS PHASER - 180TI ASSEMBLY NUMBER 3252554R92 GASKETS: TOP SBS-6-1763 BOTTOM SBS-6-1763	686	630	76	12.5	TUBE	687 x 140 F	687 x 140 F	SIDE BY SIDE WATER & CHARGE AIR GASKET KIT SBS-1763/SC-92K OR SBS-1763/C6327K
INT 8167	ML-1323	INTER 940 WHEELED LOADER	833	810	114	9	TUBE	830 x 148 R	830 x 148 T	
INT 8174	ML-1137	INTER/IVECO F4470 355HP WITH C.A.C. 3 ROW CORE	793	651	46	14	CT	681 x 105 T	681 x 105 T	H/DUTY SEE ML-1149
INT 8175	ML-1149	INTER/IVECO F3470 310HP NO CHARGE AIR COOLER 4 ROW CORE	793	651	61	12	CT	681 x 105 T	681 x 105 T	H/DUTY SEE ML-1445
INT 8176	ML-1445 H/DUTY	INTER/IVECO F3470 310HP H/DUTY 5 ROW CORE	793	651	61	12	CT	681 x 105 T	681 x 105 T	
INT 8177	ML-1324	INTER 125 (B) TRAXCAVATOR	635	492	76	9	TUBE	515 x 95 T	515 x 95 T	
INT 8178	S17710/4MLF11	TRANSTAR 1994 N14 500 HP ASSEMBLY NO. 3263948R91 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1290 BOTTOM SP-1290	990	841	73	11	TUBE	902 x 140 F	902 x 140 F	GASKET KIT SP-1290/SC-92K OR SP-1290/C6327K
INT 8179	SBS-2421/4ML12	ACCO 1850/210 AUTO TRANS, ASSY 3260811R91 MANUAL TRANS, ASSY 3263282R91 GASKETS: TOP SP-1285 BOTTOM SP-1285	686	606	73	12.5	TUBE	687 x 140 F	687 x 140 F	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
INT 8180	ML-1101 C/HOLE	INTER DV53, DV550, DV504 1971 ASSY # 3017720R91 1950 5" CRANK HOLE	767	622	75	10	TUBE	635 x 83 T	635 x 83 T	
INT 8181	SBS-1506/3MLF11	'T' LINE - 2670 CUMMINS L10, 250 HP ASSEMBLY NUMBER 3249534R91 ULTRAFUSED CORE GASKETS: TOP SP-1286 BOTTOM SP-1286	787	667	57	11	TUBE	730 x 140 F	730 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
INT 8182	SBS-1696/4MLF12	'T' LINE - 2670 CUMMINS L10, 270 HP ASSEMBLY NUMBER 3284520R91 ULTRAFUSED CORE GASKETS: TOP SP-1286 BOTTOM SP-1286	787	667	76	12.5	TUBE	730 x 140 F	730 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
INT 9130	VHF1073	'S' LINE S2760 CUMMINS N86 & DETROIT 6V CROSSFLOW HI FLOW ASSEMBLY NO. 474697(8)C93 ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-5005 BOTTOM SP-5005	1010	758	57	10	CT	820 x 172 F	820 x 172 F	REF VHF1019 INT9148 FOR HEAVY DUTY GASKET KIT SP-5005/SC-92K OR SP-5005/C6327K
INT 9148 H/DUTY	VHF1019	'S' LINE S2760 CUMMINS N86 & DETROIT 6V CROSSFLOW HI FLOW ASSEMBLY NO. 474695C93 & 474696C93 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5005 BOTTOM SP-5005	1010	758	74	12	CT	820 x 172 F	820 x 172 F	MODINE IAI 3871 GASKET KIT SP-5005/SC-92K SP-5005/C6327K
INT 9168	VLV1002	'T' LINE - 2670 CUMMINS N14 LOW FLOW 400 HP ASSEMBLY NO. 3253714R91 ULTRAFUSED 4 ROW CORE 2 PASS CONTRAFLOW GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	840	76	13	CT	918 x 186 F	918 x 186 F	WAS G&O E2462 ULTRAFUSED CORE GASKET KIT SP-1772/SC-92K OR SP-1772/C6327K
INT 9169	VHF1476	'S' SERIES 3600 1991, CUMMINS ALL L10 & N14 STC TO 370HP ASSEMBLY NO.3260009R91 OR 1674281C91 ULTRAFUSED 3 ROW CORE (U.S. ORIGIN) GASKETS: TOP SP-5429 BOTTOM SP-5429	955	638	56	16	CT	698 x 155 F	698 x 155 F	GASKET KIT SP-5429/SC-92K OR SP-5429/C6327K
INT 9170	VLV1018	'S' LINE S2670 CUMMINS N14 CROSSFLOW LOW FLOW ASSEMBLY NO. 573093C92 ULTRAFUSED 4 ROW CORE 2 PASS GASKETS: TOP SP-5005 BOTTOM SP-5005 TANK BAFFLE GASKET SP-5237	1010	758	78	14	CT	820 x 172 F	820 x 172 F	GASKET KIT SP-5005/SC-92K OR SP-5005/C6327K BAFFLE GASKET
INT 9171	VHF1022	'S' LINE 3600 1991 CUMMINS N14 CELECT ENGINES, 370, 410, 430 HP ASSEMBLY NO. 3260662R92 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1285 BOTTOM SP-1285	1104	606	76	16	CT	687 x 140 F	687 x 140 F	SIDE SUPPORTS MAY REQUIRE REPLACEMENT, REF TIB #57 GASKET KIT SP-1285/SC-92K OR SP1-285/C6327K
INT 9172	VHF1475	TRANSTAR - F4700 1991, CUMMINS N14 CELECT ENG ASSEMBLY NO. 3261535R91 (U.S. ORIGIN) ULTRAFUSED 4 ROW GASKETS: TOP SP-5003 BOTTOM SP-5003	1088	705	76	16	CT	793 x 152 F	793 x 152 F	GASKET KIT SP-5003/SC-92K OR SP-5003/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
INT 9173	VLF1000	TRANSTAR - F4670 CUMMINS N14 LOW FLOW 444 HP 2 PASS ULTRAFUSED 3 ROW CORE. USED IN AIR RADIATORS PANEL SBS-2338, IH/No 3258937R91 GASKETS: TOP SP-1290 BOTTOM SP-1290	1218	809	56	16	CT	902 x 140 F	902 x 140 F	GASKET KIT SP-1290/SC-92K OR SP-1290/C6327K
INT 9174	VHF1518	TRANSTAR F4670 CAT 3406B ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5003 BOTTOM SP-5003	1086	710	56	16	CT	793 x 152 F	793 x 152 F	REPLACES ORIGINAL 3 ROW CORE GASKET KIT SP-5003/SC-92K OR SP-5003/C6327K
INT 9178	VH-1011	ACCO 1850/210 MANUAL TRANS, ASSY 3213487R93 GASKETS: TOP SP-1285 BOTTOM SP-1285	686	606	56	16	CT	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
INT 8183	S24080/4MLF11	POWERSTAR 1600 SQ. IN. ASSEMBLY NO. 97132181 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-2504 BOTTOM SP-2504	1109	921	73	11	TUBE	987 x 140 F	987 x 140 F	GASKET KIT SP-2504/SC-92K OR SP-2504/C6327K
INT 873	ML-1335	INTERNATIONAL D-1950	702	686	75		TUBE	695 x 83 T	695 x 84 T	
INT 8150	ML-1580	ACCO 2350 D	669	686	74	12	TUBE	695 x 83 T	695 x 83 T	
	MLF1952	IVECO	1170	1000	73	12.5	TUBE	1072 x 178F	1072 x 178F	GASKET KIT SP-2508/SC-92K OR SP-2508/C6327K
	VHF1772	INT9196 ULTRAFUSED VERSION	795	664	76	12	CT	696 x 84T	696 x 84T	
	VHF1982	INT9192 ULTRAFUSED VERSION	757	664	76	16	CT	730 x 148F	730 x 148F	GASKET KIT SP-5668/SC-92K OR SP-5668/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
ISU 213	ML-1275	ISUZU 4BD1, 6BD1	583	557	76	10	TUBE	568 x 88 T	568 x 88 T	
ISU 807	ML-1276	ISUZU TL922 4CYL PETROL 521400	427	475	53	14	CT	490 x 73 T	490 x 73 T	
ISU 814	ML-1278	ISUZU 1980 SBR FORWARD TRUCK 720	500	525	70	12	CT	525 x 83 T	525 x 83 T	
	ML-1277	ISUZU	403	429	38	12.5	TUBE	430 x 66T	425 x 46T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE							TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ					
JOD 223	ML-1120	JOHN DEERE 600 TRACTOR INDUSTRIAL LOADER	618	492	76	7	TUBE	506 x 133 T	503 x 83 T			
JOD 225	ML-1287	JOHN DEERE	743	655	87	9	TUBE	655 x 110 T	655 x 110 T			
JOD 229	ML-1135	JOHN DEERE 1977 4630 TRACTOR	740	557	95	10	TUBE	556 x 153 T	556 x 100 T			
JOD 235	ML-1177	JOHN DEERE 4430 TRACTOR 2WD	690	553	83	10	TUBE	556 x 153 T	556 x 100 T			
JOD 239	ML-1136	JOHN DEERE 440 TRACTOR	740	557	83	10	TUBE	556 x 153 T	556 x 100 T			
JOD 241	ML-1508	JOHN DEERE 4250 TRACTOR	740	556	83	8	TUBE	565 x 127	565 x 100			
JOD 549	MLF1133	JOHN DEERE 1980/85 8640 TRACTOR 4 x 4 ULTRAFUSED CORE	1050	685	100	10	TUBE	728 x 178 F	728 x 155 F			
JOD 848	ML-1286	JOHN DEERE 350B 4 IN ONE CRAWLER	510	492	76	6	TUBE	502 x 80 T	502 x 80 T			
JOD 233	ML-1691	JOHN DEERE 8440 TRACTOR, 5 ROW CORE	875	695	85	9	TUBE	719 x 108 T	719 x 108T			
	ML-1133	JOHN DEERE 1980/85 8640 TRACTOR 4 x 4 ULTRAFUSED CORE	1050	685	100	10	TUBE	728 x 178 F	728 x 155 F			

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KAT 804	MLF1442	MODEL HD-2500 SE ULTRAFUSED 6 ROW CORE SOLDER COATED FIN	1200	1082	120	8.5	TUBE	1168 x 194	1168 x 194	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KEN 203	MLF1128	991 Sq.In. ULTRAFUSED 4 ROW CORE	895	714	76	11	TUBE	778 x 162 F	778 x 162 F	GASKETS NOT TOOLED
KEN 505	SP-699/4MLF11	970 Sq.In. - 970T ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-839 BOTTOM SP-839	819	762	76	9	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K
KEN 601 & KEN 604	MLF1027	1200 Sq.In. ALUMINIUM TANK - REPLACES ORIGINAL 4, 5 & 6 ROW DIMPLED & L-TYPE LOUVRE TUBE CORES SP-697, 698 3447, 3448, 3449 ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-839 BOTTOM SP-839	997	762	76 95	11	TUBE	816 x 186 F	816 x 186 F	WAS MLF1000 5 ROW FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-839/SC-92K OR SP-839/C6327K
KEN 506	MLF1038	1200 Sq.In. ALUMINIUM TANK. ULTRAFUSED 6 ROW CORE HEAVY DUTY GASKETS: TOP SP-839 BOTTOM SP-839	997	762	114	11	TUBE	816 x 186 F	816 x 186 F	H/DUTY OPTION TO MLF1027 GASKET KIT SP-839/SC-92K OR SP-839/C6327K
KEN 910	VHF1003/K	1360 Sq.In. STEEL TANK K100C/K100E ULTRAFUSED 4 ROW CORE REPLACES 5 & 6 ROW TUBE CORES SP-3361, 3362 WAS G&O E2462-1 GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	857	95	11	TUBE	918 x 186 F	918 x 186 F	SUPPLIED WITH CORE SUPPORTS REFER T.I.B. #32 FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1772/SC-92K OR SP-1772/C6327K
KEN 310	MLF1451	1360 Sq.In. STEEL TANK K100C/K100E ULTRAFUSED 5 ROW CORE REPLACES 5 & 6 ROW TUBE CORES SP-3361, 3362 GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	857	95	11	TUBE	918 x 186 F	918 x 186 F	H/DUTY SEE MLF1039 FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1772/SC-62K OR SP-1772/C6327K
KEN 508	MLF1039	1360 Sq.In. STEEL TANK K100C/K100E ULTRAFUSED 6 ROW CORE HEAVY DUTY GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	857	114	11	TUBE	918 x 186 F	918 x 186 F	H/DUTY OPTION TO VHF1003 & MLF1451 GASKET KIT SP-1772/SC-92K OR SP-1772/C6327K
KEN 611	MLF1032	1400 Sq.In. STEEL TANK "W" MODEL S.A.R. REPLACES 5 & 6 ROW TUBE CORE SP-1907, 2075, 3180, 3181 ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-1992 BOTTOM SP-1992	889	1045	95	11	TUBE	1105 x 186 F	1105 x 186 F	WAS A7953-8 GASKET KIT SP-1992/SC-92K OR SP-1992/C6327K
KEN 509	MLF1053	1400 Sq.In. STEEL TANK "W" MODEL S.A.R. ULTRAFUSED 6 ROW CORE HEAVY DUTY GASKETS: TOP SP-1992 BOTTOM SP-1992	889	1045	114	11	TUBE	1105 x 186 F	1105 x 186 F	H/DUTY OPTION TO MLF1032 GASKET KIT SP-1992/SC-92K OR SP-1992/C6327K
KEN 314	MLF1082	T440, T480, T600, T650, K100, T900, T950 ALL '94 SERIES ENGINES. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1289 BOTTOM SP-1289	990	794	73	11	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KEN 507	SP-700/5MLF11	970 Sq.In. - 970H ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-839 BOTTOM SP-839	819	762	76	9	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K
KEN 512	SP-3831	T600, T650 - N14 CUMMINS 4 PASS SOLDERED CORE SP-3831 NO LONGER AVAILABLE. REQUIRES CONVERSION TO VLF1002 ULTRAFUSED CORE. REFER AIR RADIATORS GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	840	114	11	TUBE	918 x 186 F	918 x 186 F	REQUIRES NEW TOP TANK, VLF1002 CORE & X-BRACE GASKET KIT SP-1772/SC-92K OR SP-1772/C6327K
KEN 523	SP-3845	C500 S.A.R. "W" MODEL CROSS FLOW - N14 CUMMINS LOW 6 ROW, 4 PASS TUBE CORE FLOW NO LONGER AVAILABLE - REFER REMARKS GASKETS: TOP SP-2512 BOTTOM SP-2512	951	921	114	12.5	TUBE	987 x 178 F	987 x 178 F	USE PANEL NO. AKW-2358P REFER PARTS CATALOGUE GASKET KIT SP-2512/SC-92K OR SP-2512/C6327K
KEN 525	ZFW16290 KIT	C500 S.A.R. "W" MODEL CROSS FLOW - CAT ATAAC & DETROIT SERIES 60 ASSY NO. K194-1764. KIT REPLACES DISCONTINUED SP-3731/4L12 CORE GASKETS: TOP SP-2503 BOTTOM SP-2503	889	873	76	12.5	TUBE	945 x 140 F	945 x 140 F	KIT CONSISTS OF VHF1007 ULTRAFUSED CORE, SIDE SUPPORTS X-BRACE AND GASKET KIT SP-2503/SC-92K OR SP-2503/C6327K REFER AIR RADIATORS' PARTS CATALOGUE FOR PRICING
KEN 527	MLF1492/K	T440, T480, CAT 3176, CUMMINS L10 & M11 UP TO 370HP CROSS FLOW - PANHARD MOUNT RADIATOR ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-1289 BOTTOM SP-1289	990	794	56	12	TUBE	859 x 140 F	859 x 140 F	CORE MLF1082/K IS SUITABLE OPTION AS AFTERMARKET REPLACEMENT GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
KEN 540	MLF1482	T400, T450 - CAT 3176, AIR TO AIR ULTRAFUSED 4 ROW CORE, HIGH FLOW GASKETS: TOP SP-1287 BOTTOM SP-1287	838	707	56	16	CT	773 x 140 F	773 x 140 F	HEAVY DUTY OPTION TO VHF1023 NOT ORIGINAL FITMENT AFTERMARKET ONLY. REQUIRES CROSS BRACE KIT ZLW19420 REFER T.I.B. #58
KEN 541	MLF1036	C500 CROSS FLOW CAT ATAAC ULTRAFUSED 6 ROW CORE REPLACES SP-3898/6L12 GASKETS: TOP SP-2511 BOTTOM SP-2511	889	873	114	11	TUBE	945 x 178 F	945 x 178 F	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K
KEN 542	MLF1110/K	C500, C501T, T900, T950 ALL 94 SERIES ENGINES ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-2506 BOTTOM SP-2506	889	1000	73	11	TUBE	1073 x 140 F	1073 x 140 F	CORE MLF1558 IS SUITABLE OPTION AS AFTERMARKET REPLACEMENT GASKET KIT SP-2506/SC-92K OR SP-2506/C6327K
KEN 543	MLF1086	L700 - DETROIT 6V LIVE P.T.O. ULTRAFUSED 6 ROW CORE REPLACES ORIGINAL SP-3708 5" CRANK HOLE GASKETS: TOP SP-839 BOTTOM SP-839	997	746	108	11	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
KEN 544	MLF1493	L700R CUMMINS M11 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1287 BOTTOM SP-1287	983	714	73	11	TUBE	773 x 140 F	773 x 140 F	GASKET KIT SP-1287/SC-92K	
KEN 545	MLF1525/K	T650 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1289 BOTTOM SP-1289	1100	794	73	11	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K	
KEN 546	ZFW16270 KIT	W900 CAT ATAAC, CROSS FLOW, ORIGINAL SOLDER CORE SP-3731/4L12 NO LONGER AVAILABLE. ASSY NO. K194-1736 REQUIRES UPDATE TO MLF1081 4 ROW ULTRAFUSED CORE GASKETS: TOP SP-2503 BOTTOM SP-2503	889	873	76	12.5	TUBE	945 x 140 F	945 x 140 F	KIT CONSISTS OF MLF1081 ULTRAFUSED CORE, SIDE SUPPORTS, X-BRACE & GASKET KIT SP-2503/SC-92K OR SP-2503/C6327K REFER AIR RADIATORS' PARTS CATALOGUE FOR PRICING	
KEN 547	ZFW16280 KIT	W900 CAT ATAAC, CROSS FLOW, ORIGINAL SOLDER CORE SP-3821/6L12 NO LONGER AVAILABLE. ASSY NO. K194-1737 REQUIRES UPDATE TO SP-3821/6MLF11 ULTRAFUSED CORE GASKETS: TOP SP-2512 BOTTOM SP-2512	889	921	114	12.5	TUBE	987 x 178 F	987 x 178 F	KIT CONSISTS OF SP-3821/6MLF11 CORE ULTRAFUSED, SIDE SUPPORTS, X-BRACE & GASKET KIT SP-2512/SC-92K OR SP-2512/C6327K REFER AIR RADIATORS' PARTS CATALOGUE FOR PRICING	
KEN 613 & KEN 522	MLF1035	1400 Sq.In. ALUMINIUM TANK YOUNG D224446 CON. MET. - 9A300 ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-2134 BOTTOM SP-2135	890	1016	114	11	TUBE	1105 x 203 F	1105 x 186 F	KNOWN AS KEN 522 AND C274/6L11 GASKET KIT GSK-9/SC-92 OR GSK-9/C6327	
KEN 831	MLF1037	C500 CROSS FLOW CAT ATAAC SOLDER COATED FIN ULTRAFUSED 6 ROW CORE SALT MINE OPERATION REPLACES SP-3898/6F9H GASKETS: TOP SP-2511 BOTTOM SP-2511	889	873	114	11	TUBE	945 x 178 F	945 x 178 F	GASKET KIT SP-2511/SC-92K OR SP-2511/C6327K	
KEN 648	MLF1554/K	K100G, K104 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1289 BOTTOM SP-1289	990	794	73	12.5	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K	
KEN 649	MLF1557	T604 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1290 BOTTOM SP-1290	1105	841	73	12.5	TUBE	902 x 140 F	902 x 140 F	GASKET KIT SP-1290/SC-92K	
KEN 650	MLF1558	T900/904/950 C500/501 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-2506 BOTTOM SP-2506	889	1000	73	12.5	TUBE	1073 x 140 F	1073 x 140 F	GASKET KIT SP-2506/SC-92K	
KEN 651	MLF1651	1640 SQ. IN. W MODEL ALUMINIUM TANK YOUNG D264772, ULTRAFUSED 6 ROW CORE GASKETS: TOP SP-2134 BOTTOM SP-2135	1041	1016	114	11	TUBE	1105 x 203	1105 x 185	GASKET KIT GSK-9/SC-92 OR GSK-9/C6327	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KEN 837	SP-3266/6MLF9SC	W900, C500 SOLDER COATED FIN ULTRAFUSED 6 ROW CORE SALT MINE OPERATION GASKETS: TOP SP-1992 BOTTOM SP-1992	889	1016	108	9	TUBE	1105 x 186 F	1105 x 186 F	GASKET KIT SP-1992/SC-92K OR SP-1992/C6327K
KEN 915	VHF1005	T600, T650, T900, K100E, CAT-ATTAC / DETROIT SERIES 60 CUMMINS 91 N14 HI-FLOW REPLACES SP-3418 4ROW TUBE CORE ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-1289 BOTTOM SP-1289	990	796	56	16	CT	859 x 140 F	859 x 140 F	WAS G&O E2572 CORE MLF1082/K IS SUITABLE OPTION AS AFTERMARKET REPLACEMENT GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
KEN 924	VL1008	C500 S.A.R. "W" MODEL CROSS FLOW - N14 CUMMINS LOW FLOW PANEL NO. AKW-2358P. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-2512 BOTTOM SP-2512	951	896	76	16	CT	987 x 178 F	987 x 178 F	NOT REPLACEMENT OF SP-3845 GASKET KIT SP-2512/SC-92K OR SP-2512/C6327K
KEN 926	VL1006 N/A	T400, T450 CUMMINS LOW FLOW - 2 PASS CONTRAFLOW ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-4999 BOTTOM SP-4999	831	722	76	13	CT	816 x 186 F	816 x 186 F	WAS G&O E2238 GASKET KIT SP-4999/SC-92K
KEN 927	VL1009	T400, T450 CUMMINS LOW FLOW - 1 PASS ULTRAFUSED 3 ROW CORE. WAS G&O X-3835 GASKETS: TOP SP-4999 BOTTOM SP-4999	831	722	56	16	CT	816 x 186 F	816 x 186 F	CSD-6 X/BRACE MUST BE FITTED OR WARRANTY VOID GASKET KIT SP-4999/SC-92K OR SP-4999/C6327K
KEN 928	VHF1023	T400, T450 - CUMMINS 91 L10 & CAT 3176, AIR TO AIR ULTRAFUSED 3 ROW CORE. HIGH FLOW GASKETS: TOP SP-1287 BOTTOM SP-1287	838	707	56	16	CT	773 x 140 F	773 x 140 F	H/DUTY SEE MLF1482 GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K
KEN 929	VHF1007	C500 S.A.R. "W" MODEL CROSS FLOW - CAT ATAAC & DETROIT SERIES 60 ULTRAFUSED 3 ROW CORE USED IN ZFW16290 CORE KIT & AKW-2373 PANEL GASKETS: TOP SP-2503 BOTTOM SP-2503	889	855	58	16	CT	945 x 140 F	945 x 140 F	GASKET KIT SP-2503/SC-92K OR SP-2503/C6327K
KEN 934	VL1004	L700, L710, L10 CUMMINS LOW FLOW ULTRAFUSED 4 ROW CORE, 2 PASS CONTRAFLOW LIMITED USE ON W2900 - S.A.R. GASKETS: TOP SP-4999 BOTTOM SP-4999	1016	735	76	13	CT	816 x 186 F	816 x 186 F	WAS G&O E2238-1 GASKET KIT SP-4999/SC-92K OR SP-4999/C6327K
KEN 935	VL1002	T600, T650, K100E - N14 CUMMINS LOW FLOW ULTRAFUSED 4 ROW CORE 2 PASS CONTRAFLOW GASKETS: TOP SP-1772 BOTTOM SP-1772	1016	840	76	13	CT	918 x 186 F	918 x 186 F	WAS G&O E2462 GASKET KIT SP-1772/SC-92K OR SP-1772/C6327K
KEN 936	VHF1456	T400, T450 - CUMMINS 91 L10 & CAT 3176, AIR TO AIR ULTRAFUSED 3 ROW CORE. HIGH FLOW GASKETS: TOP SP-1287 BOTTOM SP-1287	838	707	56	16	CT	773 x 140 F	773 x 140 F	CORE VHF1023 IS SUITABLE OPTION AS AFTERMARKET REPLACEMENT GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KEN 937	VHF1512	T900, T950, C500, CAT 3406E ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-2506 BOTTOM SP-2506	889	997	76	13	CT	1073 x 140 F	1073 x 140 F	CORE MLF1558 IS SUITABLE OPTION AS AFTERMARKET REPLACEMENT GASKET KIT SP-2506/SC-92K OR SP-2506/C6327K
KEN 938	VHF1514	K100, CUMMINS 91-N14 500 HP ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-1289 BOTTOM SP-1289	990	794	76	13	CT	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
KEN 941	VHF1533	T300 CAT / CUMMINS ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-1285 BOTTOM SP-1285	999	609	56	13	CT	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
KEN 941	VHF1533	T300 CAT / CUMMINS ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-1285 BOTTOM SP-1285	999	609	56	13	CT	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
KEN 952	VHF1521	K300 CUMMINS 'C' SERIES ULTRAFUSED 3 ROW CORE	716	667	56	14	CT	681 x 76 T	681 x 76 T	
	MLF1081	KENWORTH	889	873	73	11	TUBE	945 x140 F	945 x140 F	GASKET KIT SP-2503/SC-92K OR SP-2503/C6327K
	MLF1900	KENWORTH T608, T658, T908	1070	1080	73	12.5	TUBE	1159 x 140 F	1159 x 140 F	GASKET KIT SP-2508/SC-92K OR SP-2508/C6327K
	MLF1944	KENWORTH K108 ACERT	1125	794	108	12.5	TUBE	859 x 178 F	859 x 178 F	GASKET KIT SP-1469/SC-92K OR SP-1469/C6327K
	MLF1948	KENWORTH K108 ISX	1125	794	73	12.5	TUBE	859 x 140 F	859 x 140 F	GASKET KIT SP-1289/SC-92K OR SP-1289/C6327K
	MLF2009	KENWORTH T408 ACERT, ISX. C13	964	1080	73	12.5	TUBE	1159 x 140 F	1159 x 140 F	GASKET KIT SP-2508/SC-92K OR SP-2508/C6327K
	MLF2024	KENWORTH C508 ACERT	890	1080	108	12.5	TUBE	1159 x 178 F	1159 x 178 F	GASKET KIT SP-2516/SC-92K OR SP-2516/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KOE 601	MLF1288	KOERING EXCAVATOR. ULTRAFUSED CORE	1118	1233	102	9	TUBE	1321 x 191 F	1321 x 191 F	H/DUTY OPTION MDF1320
KOE 802	MLF1320 H/DUTY	KOERING EXCAVATOR. ULTRAFUSED CORE SOLDER COATED FIN	1118	1233	102	9	TUBE	1321 x 191 F	1321 x 191 F	GASKETS NOT TOOLED

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
KOM 201	MLF1221	KOMATSU D60, D60A, D60.3 DOZER ULTRAFUSED CORE	776	752	81	8	TUBE	805 x 135 F	805 x 135 F	
KOM 802	MLF1478	KOMATSU TRACK LOADER 1990 D57K-1 SOLDER COATED FIN	1018	686	140	7	TUBE	770 x 195 F	770 x 195 F	
KOM 803	MLF1131	KOMATSU WA500-1 WHEELED LOADER ULTRAFUSED CORE SOLDER COATED FIN	1067	1080	140	7	TUBE	1170 x 240 F	1170 x 240 F	
KOM 804	ML-1690	KOMATSU LOADER, 4 ROW CORE	750	619	65	11	CT	625 x 80 T	625 x 80 T	
KOM 804 H/DUTY	ML-1689	KOMATSU LOADER, 4 ROW CORE SOLDER COATED FIN	750	619	65	11	CT	625 x 80 T	625 x 80 T	HEAVY DUTY VERSION
KOM 805	MD-1695	KOMATSU LOADER, 7 ROW CORE, SOLDER COATED FIN	950	889	130	6	TUBE	890 x 135 T	890 x 135 T	
KOM 806	MLF1473	KOMATSU HD325-3 DUMP TRUCK ULTRAFUSED 6 ROW CORE	800	1222	82	11	CT	1334 x 195 F	1334 x 195 F	GASKETS NOT TOOLED
KOM 806 H/DUTY	MLF1474	KOMATSU HD325-3 DUMP TRUCK ULTRAFUSED 6 ROW CORE SOLDER COATED FIN	800	1222	82	11	CT	1334 x 195 F	1334 x 195 F	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
LEA 303	MLF1047	LEADER 75-79 3306 CAT ULTRAFUSED 5 ROW CORE	866	680	100	12	TUBE	738 x 176 F	738 x 176 F	GASKETS NOT TOOLED
LEA 804	SBW-1029/5MLF11	LEADER. CAT 3208 V8, 250 BHP AT 2600 RPM - HIGH MOUNT ULTRAFUSED CORE GASKETS: TOP SP-1465 BOTTOM SP-1465	737	635	95	12	TUBE	687 x 178 F	687 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
LEA 805	SP-1400/6MLF9	LEADER. DETROIT 8V92T ULTRAFUSED CORE GASKETS: TOP SP-1470 BOTTOM SP-1470	889	841	114	12	TUBE	902 x 178 F	902 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K
LEA 806	SP-1673/4MLF11	LEADER. CAT 3208 HIGH & LOW MOUNT ULTRAFUSED CORE GASKETS: TOP SP-1285 BOTTOM SP-1285	686	629	76	12	TUBE	687 x 140 F	687 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
LEA 807	SP-1674/6MLF11	LEADER. CAT 3408 C.O.E "A" SERIES ULTRAFUSED CORE GASKETS: TOP SP-1466 BOTTOM SP-1466	889	667	114	12	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
LEA 808	SBW-585/5MLF9	LEADER. CAT 3306 T.A. ULTRAFUSED CORE GASKETS: TOP SP-1465 BOTTOM SP-1465	889	635	100	10	TUBE	687 x 178 F	687 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
LEA 809	MLF1057 C/HOLE	LEADER. CAT 3306 T.A. SPECIAL LIVE CRANK HOLE ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-1465 BOTTOM 2 x SBW-6-586	889	635	100	10	TUBE	687 x 178 F	2x 268x178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT GSK-6/SC-92 OR GSK-6/C6327
LEA 810	SBS-588/4MLF11	LEADER. CAT 3208 V8, HIGH MOUNT FEMALE LIVE CRANK HOLE ULTRAFUSED CORE GASKETS: TOP SP-1285 BOTTOM 2 x SBS-6/1-588	686	635	76	12	TUBE	687 x 140 F	2x 225x140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT GSK-7/SC-92 OR GSK-7/C6327
LEA 811	SBW-589/6MLF11	LEADER. DETROIT 8V92TA ULTRAFUSED CORE GASKETS: TOP SP-2518 BOTTOM SP-2518	864	1175	114	10	TUBE	1245 x 178 F	1245 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-2518/SC-92K OR SP-2518/C6327K
LEA 812	SBW-591/5MLF11	LEADER. CAT 3306 TA ULTRAFUSED CORE GASKETS: TOP SP-1466 BOTTOM SP-1466	889	667	100	12	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
LEA 813	SBW-592/5MLF11 C/HOLE	LEADER. CAT 3306 TA. LIVE CRANK HOLE, STD CAB ULTRAFUSED CORE GASKETS: TOP SP-1466 BOTTOM SP-1466	889	667	100	12	TUBE	730 x 178 F	2x 289x178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
LEA 814	SBW-1026/6MLF9	LEADER. CAT 3208 V8, 250 BHP AT 2600 RPM - LOW MOUNT ULTRAFUSED CORE GASKETS: TOP SP-1465 BOTTOM SP-1465	737	635	100	12	TUBE	687 x 178 F	687 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
LEA 815	MLF1059	LEADER. MANUAL - CAT 3208. ULTRAFUSED 4 ROW CORE	692	683	76	12	TUBE	697 x 116 T	697 x 116 T	
LEA 816	MLF1060	LEADER. AUTOMATIC - CAT 3208. ULTRAFUSED 5 ROW CORE	692	683	100	12	TUBE	697 x 116 T	697 x 116 T	

LEADER



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
LEY 619	ML-1107	LEYLAND LEOPARD BUS	452	505	86	8	TUBE	584 x 152 F	584 x 152 F	GASKETS NOT TOOLED
LEY 834	ML-1296	LEYLAND BOXER 5, 8, 9, TANDEM	424	572	63	12	TUBE	581 x 85 T	581 x 85 T	
LEY 836	ML-1297	LEYLAND 1975/76 COMET 410 SERIES	522	570	72	12.5	TUBE	581 x 83 T	581 x 83 T	
LEY 839	MLF1292	LEYLAND 1321 BUS DETROIT 6/71. CROSSFLOW ULTRAFUSED CORE	787	619	95	11	TUBE	687 x 178 F	687 x 178 F	
LEY 840	MLF1293	LEYLAND SCAMMEL NTA400. ULTRAFUSED CORE	656	1270	114	11	TUBE	1332 x 178 F	1332 x 178 F	GASKETS NOT TOOLED
LEY 841	ML-1294	LEYLAND ARMY 6/71 5000 SERIES DETROIT GASKETS: TOP SP-1465 BOTTOM SP-1465	635	635	95	11	TUBE	687 x 178 F	687 x 178 F	GASKET KIT SP-1465/SC-92K
LEY 843	ML-1289	LEYLAND ARMY TV8-540 PERKINS	635	635	95	11	TUBE	637 x 102 T	637 x 102 T	
LEY 849	SBS-1079/4ML11	LEYLAND ELWARD BUS GASKETS: TOP SP-1285 BOTTOM SP-1465	635	619	76	11	TUBE	687 x 140 F	687 x 140 F	GASKET KIT SP-1285/SC-92K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
LIB801	MLF1699	GEN SET, ORIGINAL 4 CORE RADIATOR ULTRAFUSED 6 ROW CORE GASKETS : TOP SP-5656 BOTTOM SP-5656	800	748	95	12	CT	832 x 190 F	832 x 190 F	FOR H/DUTY SEE MLF1593 GASKET KIT SP-5656/SC-92K (HAND CUT) SP-5656/C6327K (HAND CUT)
LIB801 H/DUTY	MLF1593	GEN SET, ORIGINAL 4 CORE RADIATOR ULTRAFUSED 6 ROW CORE SOLDER COATED FIN GASKETS : TOP SP-5656 BOTTOM SP-5656	800	748	95	12	CT	832 X 190 F	832 x 190 F	GASKET KIT SP-5656/SC-92K (HAND CUT) SP-5656/C6327K (HAND CUT)

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
LMC601	SP-1214/3ML11	SHUNTER - 3 ROW CORE AIR RADS ASSY ARO-2557 (SA7437) PERKINS 6-354 GASKETS, TOP SP-1284 BOTTOM SP-1284	610	587	56	11	TUBE	644x140	644x140	GASKET KIT SP-1284/SC-92K OR SP-1284-C6327K
LMC602	S11450/4ML11	TRACTOR - 4 ROW CORE AIR RADS ASSY SLR11450 (TC7267) PERKINS 1006-6N GASKETS, TOP SP-1283 BOTTOM SP-1283	737	540	73	11	TUBE	610x140	610x140	GASKET KIT SP-1283/SC-92K OR SP-1283/C6327K
LMC603	S15760/4MLF12.5	ALL WHEEL DRIVE - ULTRAFUSED 4 ROW CORE AIR RADS ASSY SLR15760 (AW7471) CUMMINS / PERKINS GASKETS, TOP SP-1286 BOTTOM SP-1286	737	667	73	12	TUBE	730x140	730x140	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
LMC604	S15000/4ML12	ALL WHEEL DRIVE - 4 ROW CORE AIR RADS ASSY SLD15000 (AW8575) PERKINS PHASER 210 GASKETS, TOP SP-1285 BOTTOM SP-1285	761	603	73	12	TUBE	687 x 140	687x140	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
LMC605	S14890/4MLF12	ALL WHEEL DRIVE - ULTRAFUSED 4 ROW CORES AIR RADS ASSY SCR15790 (AW9118) CUMMINS 6BT AIR RADS ASSY SCR14890 (AW8515) PERKINS 1006T GASKETS, TOP SP-1285 BOTTOM SP-1285	686	619	73	12	TUBE	687x140	687x140	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
LMC606	S16830/4MLF12 C/HOLE	ALL WHEEL DRIVE - ULTRAFUSED 4 ROW CORE LIVE CRANK HOLE AIR RADS ASSY SLW16830 (AW9386) CUMMINS 6BT AIR RADS ASSY SLW17220 (AW9381) PERKINS 1006T GASKETS, TOP SP-1285 BOTTOM SP-1285	686	619	73	12	TUBE	687x140	687x140	GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
LMC607	S20770/3MLF12	ALL WHEEL DRIVE - ULTRAFUSED 3 ROW CORE AIR RADS ASSY SLR20770 - PERKINS 1006T GASKETS, TOP SP-1285 BOTTOM SP-1285	686	619	56	12	TUBE	687x140	687x140	GASKET KIT SP-1285/SC-92L OR SP-1285/C6327K
LMC608	SP-1215/3ML12	SHUNTER - 3 ROW CORE AIR RADS ASSYU SLR20760 - PERKINS 1006-6N GASKETS, TOP SP-1285 BOTTOM SP-1285	635	619	56	12	TUBE	687x140	687x140	GASKET KIT SP-1285/SC-92L OR SP-1285/C6327K
LMC609	S20780/4ML12	ALL WHEEL DRIVE - 4 ROW CORE AIR RADS ASSY SCW20780 - CUMMINS 6CTA GASKETS, TOP SP-1286 BOTTOM SP-1286	737	667	73	12	TUBE	730x140	730x140	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
MAC 215	ML-1346	MACK "F" MODEL	918	711	83	11	TUBE	722 x 164 T	722 x 106 T	
MAC 324	MLF1075	MACK ECONODYNE X50MFA549,564M,572,573,577.E6-350,E7 ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-5239 BOTTOM SP-5239	1098	778	87	12	TUBE	838 x 162 F	838 x 162 F	SUGGEST FIT CROSS BRACE GASKET KIT SP-5239/SC-92K OR SP-5239/C6327K
MAC 325	MLF1076	MACK ECONODYNE X50 MFA 547 ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5239 BOTTOM SP-5239	1098	778	73	12	TUBE	838 x 162 F	838 x 162 F	SUGGEST FIT CROSS BRACE GASKET KIT SP-5239/SC-92K OR SP-5239/C6327K
MAC 409	MLF1048	MACK B6136, B711 ULTRAFUSED CORE	737	603	76	11	TUBE	613 x 178 T	613 x 95 T	
MAC 516	MLF1049	MACK R600 STEEL CANOPY ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5000 BOTTOM SP-5000	737	873	76	11	TUBE	945 x 175 F	945 x 175 F	GASKET KIT SP-5000/SC-92K
MAC 531	MLF1056	MACK SUPERLINER & C.L.R. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5357 BOTTOM SP-5357	1118	873	70	10	TUBE	924 x 158 F	924 x 158 F	ZLW17970 REWORK KIT MUST BE FITTED OR WARRANTY VOID - REF PARTS CAT & TIB 51 GASKET KIT SP-5357/SC-92K OR SP-5357/C6327K
MAC 617	MLF1050	MACK R700 FIBERGLASS CANOPY PD 5843 ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-5000 BOTTOM SP-5000	838	872	98	11	TUBE	945 x 175 F	945 x 175 F	GASKET KIT SP-5000/SC-92K OR SP-5000/C6327K
MAC 618	MLF1029	MACK R600 FIBERGLASS CANOPY, PD 5888, R685, R686. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5001 BOTTOM SP-5001	737	879	76	11	TUBE	943 x 152 F	943 x 152 F	GASKET KIT SP-5001/SC-92K OR SP-5001/C6327K
MAC 619	MLF1130/K	MACK R700, FR700 # X50MFA535. ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-5000 BOTTOM SP-5000	1020	886	98	11	TUBE	945 x 175 F	945 x 175 F	SUPPLIED WITH CORE SUPPORT KIT GASKET KIT SP-5000/SC-92K OR SP-5000/C6327K
MAC 621	MLF1343	MACK SUPERLINER. ULTRAFUSED 6 ROW CORE	1016	968	114	11	TUBE	1045 x 186 F	1045 x 186 F	GASKETS NOT TOOLED
MAC 627	AKA-951/5MLF11	MACK MCR CABOVER. ULTRAFUSED CORE GASKETS: TOP SP-839 BOTTOM SP-839	864	762	95	11	TUBE	816 x 186 F	816 x 186 F	C/HOLE OPTION SEE MAC 628 GASKET KIT SP-839/SC-92K OR SP-839/C6327K
MAC 628	AKA-950/6MLF11 C/HOLE	MACK MCR PTD COMPACTOR, LIVE CRANK HOLE, # X40MF419. ULTRAFUSED CORE. 6" CRANK HOLE GASKETS: TOP SP-839 BOTTOM SP-839	864	762	114	11	TUBE	816 X 186 F	816 X 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
MAC 826	AKA-952/4MLF11	MACK MCR E6200 #X40MF418. ULTRAFUSED CORE GASKETS: TOP SP-839 BOTTOM SP-839	864	762	76	11	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K
MAC 928	VHF1469	MACK 1990 METROLINER X50MFA576M,567MA. E6, E7. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5239 BOTTOM SP-5239	1009	782	77	10.5	CT	838 x 162 F	838 x 162 F	GASKET KIT SP-5239/SC-92K OR SP-5239/C6327K
MAC 934	VHF1150	MACK 1991 CHR 400 HP. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5377 BOTTOM SP-5377	750	1016	76	11	CT	1066 x 160 F	1066 x 160 F	
MAC 935	VHF1506	MACK 1991 CHR, SEVERE SERVICE, ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5377 BOTTOM SP-5377	875	1016	76	16	CT	1066 x 160 F	1066 x 160 F	GASKET KIT SP-5377/SC-92K
MAC 929	VHF1641/K	MACK MHR 1996 ULTRALINER 450 HP. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5357 BOTTOM SP-5357	981	874	76	16	CT	924 x 158 F	924 x 158 F	GASKET KIT SP-5357/SC-92K
	MLF1758	MACK	1100	778	91	11	TUBE	838 x 163 F	838 x 163 F	GASKET KIT SP-5239/SC-92K OR SP-5239/C6327K
	VHF1742	MACK	1118	867	76	16	CT	924 x 159 F	924 x 159 F	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
FER 204	ML-1238	FERGUSON TRACTOR - MF65 MULTI-POWER MK2	425	381	70	8	TUBE	398 x 122 T	398 x 83 T	
MAS 210	ML-1299	MASSY HARRIS TRACTOR 744D 745, L4, 745S	476	489	76	6	TUBE	502 x 156 T	509 x 92 T	
FER 211	ML-1241	FERGUSON TRACTOR 1969/70 165, 175 & 178.	486	381	57	9	TUBE	395 x 117 T	395 x 68 T	
FER 213	ML-1242	FERGUSON TRACTOR 1970, 1100, 6/354 PERKINS	556	460	73	7	TUBE	467 x 127 T	467 x 83 T	
FER 218	ML-1244	FERGUSON TRACTOR 1975, 1085, 529305-M91	468	462	74	7	TUBE	467 x 102 T	467 x 102 T	
FER 813		MASSEY FERGUSON TRACTOR 4800 V903 CUMMINS 4 ROW CORE	948	873	76	6	TUBE	933 x 156 F	933 x 156 F	NOT OFFERED USE MLF1146
FER 814	MLF1146	MASSEY FERGUSON TRACTOR 4800 V903 CUMMINS, ULTRAFUSED 5 ROW CORE - HI HORSEPOWER GASKETS: TOP SP-5361 BOTTOM SP-5362	948	873	95	9	TUBE	933 x 156 F	933 x 156 F	GASKET KIT GSK-8/SC-92 OR GSK-8/C6327

MASSEY FERGUSON



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
MER 206	ML-1361	MERCEDES 1959/60 180S, 220S	425	555	44	10	TUBE	562 x 57 T	562 x 57 T	
MER 216	ML-1362	MERCEDES 190C	397	470	41	13	CT	470 x 57 T	470 x 57 T	
MER 371	ML-1358	MERCEDES BUS 0303 - V8	675	640	82	12	TUBE	640 x 105 T	640 x 105 T	
MER 822	ML-1364	MERCEDES 1967, 1918-L51418/37	567	632	54	10	TUBE	629 x 95 T	629 x 64 T	
MER 830	ML-1365	MERCEDES 1972/73 280 SED	419	508	32	12	CT	521 x 54 T	521 x 54 T	
MER 832	ML-1368	MERCEDES 1974 450 SLC	411	603	40	13	CT	606 x 60 T	606 x 60 T	
MER 838	ML-1371	MERCEDES 1976 2632 V10	610	622	79	11	CT	646 x 105 T	646 x 105 T	
MER 848	ML-1360	MERCEDES 1976, 2232	680	619	79	11	CT	646 x 105 T	646 x 105 T	

MERCEDES BENZ



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
MIC 601	MLF1679	MICHIGAN 275 WHEELED LOADER 6 ROW ULTRAFUSED CORE	1052	922	135	8	TUBE	1016 x 235 F	1016 x 210 F	GASKETS NOT TOOLED
MIC 601 H/DUTY	MLF1680	MICHIGAN 275 WHEELED LOADER SOLDER COATED FIN. 6 ROW ULTRAFUSED CORE	1052	922	135	8	TUBE	1016 x 235 F	1016 x 210 F	H/DUTY VERSION OF MLF1679 ~TNEW HOLLAND/ CLEYSON~6.811
CLY 204	MD-1460	CLEYSON - COMBINE HARVESTER, TR70 - 8080 MERCEDES 401 V6 ENG.	752	790	114	4	TUBE	786 x 122 T	786 x 122 T	
CLY 701	SL-1225	CLEYSON - HEADER	580	615	95	8	TUBE	617 x 108 T	617 x 108 T	

MICHIGAN



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE						TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ				
ONA 901	VH-1545	GEN SET - CUMMINS 4B, 4BT, 6BT, 3 ROW CORE RAD ASSY 30362693 (SCW24450) RAD ASSY 30362989 (SCW24520) GASKETS TOP SP-1286, BOTTOM SP-1286	647	667	56	12	CT	730 x 140	730 x 140	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K	
ONA 902	VH-1546	GEN SET - CUMMINS 6BT G2, 4 ROW CORE RAD ASSY 30362964 (SCW24451) RAD ASSY 30362991 (SCW24521) GASKETS TOP SP-1286, BOTTOM SP-1286	647	667	76	12	CT	730 x 140	730 x 140	GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K	
ONA 903	VH-1549	GEN SET - CUMMINS 6CT, 6CTA, 3 ROW CORE RAD ASSY 30362946 (SCW24370) RAD ASSY 30362949 (SCW24660) GASKETS TOP SP-1287, BOTTOM SP-1287	867	710	56	12	CT	773 x 140	773 x 140	GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K	
ONA 904	VH-1550	GEN SET - CUMMINS 6CTA, 4 ROW CORE RAD ASSY 30362947 (SCW24500) RAD ASSY 30362948 (SCW24580) GASKET TOP SP-1287, BOTTOM SP-1287	867	710	76	12	CT	773 x 140	773 x 140	GASKET KIT SP-1287/SC-92K OR SP-1287/C6327K	
ONA 605	B11150/5MLF11	GEN SET - CUMMINS K19, 5 ROW CORE RAD ASSY 130-3587 (BFW11150) GASKETS TOP SP-622, BOTTOM SP-622	1230	1286	91	11	TUBE	1362 x 178	1362 x 178	GASKET KIT SP-622/SC-92K OR SP-622/C6327K	
ONA 606	W11170/4ML11	GEN SET - CUMMINS K38, 4 ROW CORE RAD ASSY 130-4810 OR 130-3615 (WFW24190) GASKETS TOP SP-1470, BOTTOM SP-1470	862	841	73	11	TUBE	902 x 178	902 x 178	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K	
ONA 607	W11172/6ML11	GEN SET - CUMMINS K38, QST30, 6 ROW CORE RAD ASSY 130-4812 OR 130-4167 (WFW24180) RAD ASSY 130-4490 (WFW22060) GASKETS TOP SP-1470, BOTTOM SP-1470	862	841	108	11	TUBE	902 x 178	902 x 178	GASKET KIT SP-1470/SC-92K OR SP-1470/C6327K	
ONA 608	W17950/6ML11	GEN SET - CUMMINS K50, 6 ROW CORE RAD ASSY 130-4813 OR 130-4195 (WFW24170) GASKETS TOP SP-2514, BOTTOM SP-2514	862	1016	108	11	TUBE	1073 x 178	1073 x 178	GASKET KIT SP-2514/SC-92K OR SP-2514/C6327K	
ONA 609	W17060/5ML12.5	GEN SET - CUMMINS VT, 5 ROW CORE RAD ASSY 130-4354 (WFW17060) GASKETS TOP SP-5444, BOTTOM SP-5444	741	1619	91	12.5	TUBE	1673 x 178	1673 x 178	GASKET KIT SP-5444/SP-92K OR SP-5444/C6327K	
ONA 910	VH-1551	GEN SET - CUMMINS L10/NT, 2 ROW CORE RAD ASSY 130-4355 (ULW16980) GASKETS TOP 51698001, BOTTOM 5168001	1168	913	36	12	CT	998 x 181	998 x 181	GASKET KIT 51698001/SC-92K OR 51698001/C6327K	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
ONA 911	VH-1552	GEN SET - CUMMINS NTA, 4 ROW CORE RAD ASSY 130-4356 (ULW16981) GASKETS TOP 51698001, BOTTOM 51698001	1168	913	76	12	CT	998 x 181	998 x 181	GASKET KIT 5698001/SC-92K OR 51698001/C6327K
ONA 612	W22070/5ML11	GEN SET - CUMMINS QST30, 5 ROW CORE RAD ASSY 130-4436 (WFW22070) GASKETS TOP SP-5444, BOTTOM SP-5444	741	1619	91	11	TUBE	1673 x 178	1673 x 178	GASKET KIT SP-5444/SC-92K OR SP-5444/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
OSH 601	MLF1559	OSHKOSH ALL TERRAIN AIRCRAFT CRASH VEHICLE MODEL P4 T.F.A. CAT ENGINE ORIGINAL YOUNG RADIATOR ULTRAFUSED 5 ROW CORE	1105	1224	90	9	TUBE	1284 x 165 F	1284 x 165 F	GASKETS NOT TOOLED

OSHKOSH



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
PAH 801	ML-1115	P & H CRANE 1968 PART No: 52U32 NATRA, PD423	692	555	70	9	TUBE	565 x 85 T	565 x 85 T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
PRX 801	MLF1139	PERFEX CATERPILLAR GEN SET, 4 CORES PER ASSY CORE JD-4549, 6L1533, RADIATOR No:5L7368. ULTRAFUSED 6 ROW CORE	815	800	115	9	TUBE	856 x 185 F	856 x 185 F	GASKETS NOT TOOLED
	MDF1510	PERFEX GEN SET, 4 CORES PER ASSY ULTRAFUSED 6 ROW CORE	957	967	112	11	TUBE	1016 x 186 F	1016 x 186 F	GASKETS NOT TOOLED

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
PER 205	SP-1212/3ML9	PERKINS 4/436, 4/248. AP 929 AIR RADS ASSY SBS-1747 GASKETS: TOP SP-1282 BOTTOM SP-1282	533	492	57	9	TUBE	559 x 140 F	559 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1282/SC-92K OR SP-1282/C6327K
PER 206	ABS-767/2ML9	PERKINS D3/152. AP 775G AIR RADS ASSY ABS-1695 GASKETS: TOP ARO-6-640 BOTTOM ARO-6-640	457	429	41	9	TUBE	489 x 105 F	489 x 105 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT ARO-640/SC-92K OR ARO-640/C6327K
PER 711	SBS-1732/3SD7	PERKINS T4/236, 4/236, FOR USE IN AGRICULTURAL & CLOGGING ENVIRONMENT AIR RADS ASSY SBS-1732 GASKETS: TOP SP-1284 BOTTOM SP-1284	610	559	76	7	TUBE	645 x 140 F	645 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1284/SC-92K OR SP-1284/C6327K
PER 713	SL-1633	PERKINS 6/354.4, T6/354. SOLDER COATED FIN USE IN AGRICULTURAL & CLOGGING ENVIRONMENT AIR RADS ASSY SBW-1762. REPLACES SBW-1554/4SD5.5H GASKETS: TOP SP-1466 BOTTOM SP-1466	686	667	102	5.5	TUBE	730 x 178 F	730 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1466/SC-92K OR SP-1466/C6327K
PER 810	SP-1222/4ML9	PERKINS T4/236. AP 901 AIR RADS ASSY SBS-1527 GASKETS: TOP SP-1282 BOTTOM SP-1282	533	492	76	9	TUBE	559 x 140 F	559 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1282/SC-92K OR SP-1282/C6327K
PER 812	SBS-968/3ML9	PERKINS 6/354.4, T6/354. AP 852G AIR RADS ASSY SBS-1622 GASKETS: TOP SP-1285 BOTTOM SP-1285	610	619	57	9	TUBE	687 x 140 F	687 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1285/SC-92K OR SP-1285/C6327K
PER 814	SP-1226/4ML9	PERKINS TV8/540 AIR RADS ASSY SBS-1715 GASKETS: TOP SP-1286 BOTTOM SP-1286	686	667	73	9	TUBE	730 x 140 F	730 x 140 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1286/SC-92K OR SP-1286/C6327K
INT 8145	SBS-1-1763	PERKINS PHASER - 180TI. AIR RADS ASSY SBS-2214 GASKETS: TOP SBS-6-1763 BOTTOM SBS-1-1763	686	630	76	12.5	TUBE	687 x 140 F	686 x 140 F	SIDE BY SIDE WATER & CHARGE AIR GASKET KIT SBS-1763/SC-982K OR SBS-1763/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
PTB 501	MLF1303	PETERBILT NH250 ENGINE ULTRAFUSED 5 ROW CORE	953	714	102	11	TUBE	783 x 244 F	762 x 178 F	GASKETS NOT TOOLED
	VHF1722	PETERBILT	921	867	76	12	TUBE	953 x 165 F	953 x 165 F	GASKET VHF1722G

PETERBILT



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
RAM 601	ML-1684	RAMACA ALMOND SWEEPER JOHN DEERE ENGINE 5 ROW CORE, SOLDER COATED FIN	643	476	95	7	TUBE	499 x 116 T	499 x 116 T	

RAMACA



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
RFW 303	AKA-918/6MLF9	R.F.W. PERMATRAK OUTSIDE BROADCAST UNIT. ULTRAFUSED CORE	832	857	114	9	TUBE	917 x 186 F	917 x 186 F	GASKETS NOT TOOLED
RFW 307	SP-700/5MLF11	R.F.W. PERMATRAK ANSETT PIONEER COACH, DETROIT 8V71T ULTRAFUSED CORE GASKETS: TOP SP-839 BOTTOM SP-839	819	762	95	9	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K
RFW 502	SBW-246/5MLF9	R.F.W. PERMATRAK, MANUAL & AUTO, CUMMINS VT555, VS-210 DETROIT 4/53T, 6V53N, 8.2N ULTRAFUSED CORE GASKETS: TOP SP-1465 BOTTOM SP-1465	787	619	95	9	TUBE	687 x 178 F	687 x 178 F	GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
RFW 503	SBW-2227/5MLF11	R.F.W. PERMATRAK, QANTAS VEHICLE AIR RADS ASSY ARO-2227 ULTRAFUSED 5 ROW CORE	686	587	91	11	TUBE	644 x 178 F	644 x 178 F	GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
RFW 504	AKA-1068/5MLF11	R.F.W. PERMATRAK, HEAVY DUTY MINE LOADER, CUMMINS NTC400 ULTRAFUSED CORE	1118	857	95	11	TUBE	918 x 186 F	918 x 186 F	GASKETS NOT TOOLED
RFW 505	SBW-1165/6MLF11	R.F.W. PERMATRAK MANUAL & AUTO, CUMMINS VT555 REAR ENGINE DRILL RIG. ULTRAFUSED CORE GASKETS: TOP SP-1465 BOTTOM SP-1465	787	635	114	11	TUBE	687 x 178 F	687 x 178 F	GASKET KIT SP-1465/SC-92K OR SP-1465/C6327K
RFW 506	MLF1043	R.F.W. PERMATRAK, FORWARD ENGINE, MANUAL & AUTO, DETROIT 8V92T, 8V92TA, ALL WHEEL DRIVE & NON FRONT WHEEL DRIVE VEHICLES ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-839 BOTTOM SP-839	1118	762	114	11	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K
RFW 508	MLF1038	R.F.W. PERMATRAK, REAR ENGINE FIRE TENDER, MANUAL & AUTO, DETROIT 6V92T, 8V71N, 8V92N, CUMMINS VT903 NTC290, NTC350, CAT 3406 DIT. ULTRAFUSED 6 ROW CORE GASKETS: TOP SP-839 BOTTOM SP-839	997	762	114	11	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K
RFW 509	MLF1027	R.F.W. PERMATRAK, DETROIT 8V71T, 6V92T, CAT 3406 DIT, CUMMINS V903, ULTRAFUSED 5 ROW CORE GASKETS: TOP SP-839 BOTTOM SP-839	997	762	95	11	TUBE	816 x 186 F	816 x 186 F	GASKET KIT SP-839/SC-92K OR SP-839/C6327K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
SCA 204	ML-1098	SCANIA 142H BUS 3 ROW CORE	975	778	56	11	TUBE	780 x 95 T	780 x 95 T	
SCA 803	ML-1385	SCANIA 1979 LB-141, LK-141. 4 ROW CORE	790	763	56	11	TUBE	783 x 95 T	783 x 95 T	
SCA 804	ML-1099 H/DUTY	SCANIA 142H BUS 4 ROW CORE	975	778	56	11	TUBE	780 x 95 T	780 x 95 T	
SCA 806	ML-1383	SCANIA 1987 142. 3 ROW CORE	720	1032	56	11	TUBE	1045 x 95 T	1045 x 95 T	
SCA 811	ML-1384	SCANIA "81" SERIES. 4 ROW CORE	710	590	76	11	TUBE	600 x 105 T	600 x 105 T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
SER 801	MLF1117	SERCK RADIATOR, MODEL NO. 90002174, SUITS ROLLS ROYCE 240 HP 6CYL.	902	921	95	12	TUBE	972 x 201 F	972 x 201 F	

SERCK



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
SMV 601	MLF1620	PERKINS 1006-6 ULTRAFUSED 5 ROW CORE - SOLDER COATED FIN. AIR RAD'S ASSY WMW20180 REPLACES W20180/5MDF11 GASKETS: TOP SP-1464 BOTTOM SP-1464	635	587	91	11	TUBE	644 x 178 F	644 x178 F	GASKET KIT SP-1464/SC-92K OR SP-1464/C6327K
SMV 602	MLF1674	LOADER FBL15, FBL40 (DETROIT 9V82TA) ULTRAFUSED 8 ROW CORE. 0.1mm SC FIN AIR RADS ASSY XMW29880	1230	1060	149	9	TUBE	1073 x 216F	1073 x 216F	GASKETS NOT TOOLED

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE							REMARKS
			H	W	Th	FPI	Typ	TOP HDR	BTM HDR	
STG 601	MLF1688	STEIGER ST325 TRACTOR CUMMINS ENGINE 5 ROW ULTRAFUSED CORE	920	968	75	9	TUBE	1015 x 196 F	1015 x 196 F	GASKETS NOT TOOLED

STEIGER



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
TER 801	MLF1501	TEREX, ULTRAFUSED 6 ROW CORE	1118	1360	115	9	TUBE	1490 x 242 F	1490 x 242 F	GASKETS NOT TOOLED FOR H/DUTY SEE MLF1502
TER 801 H/DUTY	MLF1502	TEREX, ULTRAFUSED 6 ROW CORE SOLDER COATED FIN	1118	1360	115	9	TUBE	1490 x 242 F	1490 x 242 F	GASKETS NOT TOOLED
TER 802	MLF1601	TEREX TS24C LOAD RUNNER TWIN POWER SCRAPER ULTRAFUSED 6 ROW CORE	1105	1123	152	9	TUBE	1225 x 265	1225 x 265	GASKETS NOT TOOLED
TER 803	MDF1619	TEREX SCRAPER, ULTRAFUSED 6 ROW CORE	1118	1143	114	7	TUBE	1222 x 216 F	1222 x 216	GASKETS NOT TOOLED
TER 804	MLF1658	TEREX SCRAPER, ULTRAFUSED 5 ROW CORE	1118	1143	114	7	TUBE	1222 x 216 F	1222 x 216	GASKETS NOT TOOLED
TER 805	MLF1630	TEREX R35B DUMP TRUCK, ULTRAFUSED 6 ROW CORE	1016	1169	150	9	TUBE	1324 x 216	1324 x 216	GASKETS NOT TOOLED
TER 806	MLF1671	TEREX 90 SH SCRAPER, ULTRAFUSED 6 ROW CORE	1016	1208	115	9	TUBE	1318 x 216 F	1318 x 216 F	GASKETS NOT TOOLED HEADER DRILLING SAME AS MLF1218 EUCLID
FRA 805	ML-1608	FRANNA CRANE AT14. ASSY NO. YFW28130	676	635	73	12.5	TUBE	652 x 90 T	652 x 90 T	
FRA 902	VH-1607	FRANNA CRANE AT18 & MAC25. ASSY NO. UFW28110	757	650	76	16	CT	730 x 148 F	730 x 148 F	GASKETS NOT TOOLED
FRA 901	VH-1606	FRANNA CRANE MAC14. ASSY NO. YFW28120	626	635	76	16	CT	652 x 90 T	652 x 90 T	

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
TOY 601	ML-1666	FORK LIFT MODEL 02-5FD30 3 ROW CORE	497	490	68	11	CT	493 x 74 T	493 x 74T	
	SL-1967	TOYOTA FORKLIFT	450	455	65	9	TUBE	468 x 70 T	468 x 70 T	

TOYOTA



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
TRA 801	MDF1122	TRACKCHIEF RAIL CARRIAGE SHUNTER "YOUNG" RADIATOR # 146003 475 HP GM. ULTRAFUSED 5 ROW CORE	1057	1053	90	7	TUBE	1109 x 222 F	1109 x 222 F	GASKETS NOT TOOLED

TRACKCHIEF



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
VOL 210	ML-1386	VOLVO - 1971 G88 TRUCK	795	679	73	11	TUBE	684 x 83 T	765 x 83 T	
VOL 212	ML-1387	VOLVO - 1975 F88	615	810	73	12	TUBE	837 x 142 T	837 x 87 T	
VOL 816	ML-1114	VOLVO - F10 F12. PART No:475701	818	800	63	12	TUBE	812 x 100 T	812 x 100 T	
VOL 817	ML-1388	VOLVO - F7	700	675	75	12	TUBE	685 x 94 T	685 x 94 T	
VOL 818	ML-1389	VOLVO - CW62	850	667	83	10	TUBE	683 x 88 T	683 x 88 T	

VOLVO



Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
WAB 802	MLF1390	WABCO, 35TON. ULTRAFUSED 6 ROW CORE	695	746	114	9	TUBE	760 x 133 T	760 x 133 T	

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
WES 901	VHF1026	WESTERN STAR 28000, 33000 SERIES, ULTRAFUSED 3 ROW CORE GASKETS: TOP SP-5240 BOTTOM SP-5241	995	893	58	14	CT	962 x 178 F	962 x 167 F	GASKET KIT GSK-4/SC-92 OR GSK-4/C6327
WES 902	VHF1052	WESTERN STAR - HI FLOW, ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5240 BOTTOM SP-5241	995	893	76	14	CT	962 x 178 F	962 x 167 F	GASKET KIT GSK-4/SC-92
WES 903	VL1111	WESTERN STAR - LOW FLOW, ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5240 BOTTOM SP-5241	995	893	76	14	CT	962 x 178 F	962 x 167 F	GASKET KIT GSK-4/SC-92
WES 904	VHF1513	WESTERN STAR - 4800 SERIES, 1991 MODEL ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5241 BOTTOM SP-5241	863	895	76	11	CT	962 x 167 F	962 x 167 F	IF NO CROSS BRACE FITTED AS ORIGINAL, C/BRACE KIT ZLW19050 MUST BE FITTED ON FAN SIDE GASKET KIT SP-5241/SC-92K OR SP-5241/C6327K
WES 905	VHF1522	WESTERN STAR - HI FLOW 4 ROW ULTRAFUSED CORE GASKETS: TOP SP-5241 BOTTOM SP-5241	940	895	76	11	CT	962 x 167 F	962 x 167 F	GASKET KIT SP-5241/SC-92K
	VHF1748	WESTERN STAR CONSTELLATION 98 MODEL	936	983	76	16	CT	1062 x 167 F	1062 x 167 F	GASKET KIT 5739/SC-92 OR 5739/C6327
	VHF2091	WESTERN STAR - CONSTELLATION 4800 2007 MODEL	864	983	76	16	CT	1062 x 167 F	1062 x 167 F	GASKET - SP5739/SC-92K

Date Effective July 2008

Note F = Flat HDRS, T = Turned Up HDRS

CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
WHI 416	MLF1214	WHITE - 1978 ROAD COMMANDER. ULTRAFUSED 4 ROW CORE GASKETS: TOP 2 x SP-5002 BOTTOM 1 x SP-5003	890	746	83	12	TUBE	794 x 263 F	794 x 152 F	GASKET KIT GSK-5/SC-92
WHI 417	MLF1033	WHITE - 7107263. ULTRAFUSED 4 ROW CORE GASKETS: TOP 2 x SP-5002 BOTTOM 1 x SP-5003	973	746	83	11	TUBE	794 x 263 F	794 x 152 F	GASKET KIT GSK-5/SC-92
WHI 519	MLF1213	WHITE - ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5004 BOTTOM SP-5004	1100	890	72	11	TUBE	960 x 178 F	960 x 178 F	GASKET KIT SP-5004/SC-92K
WHI 520	MLF1211	WHITE - 1980/81 ROAD BOSS, RBN64 GM ENG. ULTRAFUSED 4 ROW CORE GASKETS: TOP SP-5004 BOTTOM SP-5004	965	889	73	11	TUBE	962 x 178 F	962 x 178 F	GASKET KIT SP-5004/SC-92K OR SP-5004/C6327K
WHI 522	ML-1484	WHITE TRACTOR 5ROW	565	555	85	11	TUBE	558 x 155 T	558 x 100 T	

WHITE



CORE PART NO.	AIR RADIATORS PART No.	DESCRIPTION	ORIGINAL CORE					TOP HDR	BTM HDR	REMARKS
			H	W	Th	FPI	Typ			
ZET 505	ML-1391	ZETOR TRACTOR - SERIES 70 - SOLDERED TANK	693	415	76	9	TUBE	418 x 82 R	418 x 82 T	
ZET 508	SP-1906/6ML9	ZETOR TRACTOR - SERIES 120 & 160 - BOLT ON RADIATOR GASKETS: TOP SP-1461 BOTTOM SP-1461	559	460	114	9	TUBE	516 x 178 F	516 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1461/SC-92K OR SP-1461/C6327K
ZET 701	SL-1393	ZETOR TRACTOR - SERIES 120 - SOLDERED TANK	578	478	102	7.5	TUBE	489 x 149 T	489 x 121 T	
ZET 703	SL-1392	ZETOR TRACTOR - SERIES 80 - SOLDERED TANK	546	489	76	7.5	TUBE	489 x 149 T	489 x 86 T	
ZET 706	SP-1904/3SD7	ZETOR TRACTOR - SERIES 80 - BOLT ON RADIATOR GASKETS: TOP SP-1461 BOTTOM SP-1461	559	456	76	7.5	TUBE	516 x 178 F	516 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1461/SC-92K OR SP-1461/C-6327K
ZET 707	SP-1905/4SD7	ZETOR TRACTOR - SERIES 120 - BOLT ON RADIATOR GASKETS: TOP SP-1461 BOTTOM SP-1461	559	456	102	7.5	TUBE	516 x 178 F	516 x 178 F	FOR TANKS/PARTS REF PARTS CAT GASKET KIT SP-1461/SC-92K OR SP-1461/C6327K



AIR RADIATORS

Air Radiators Pty Ltd

ABN: 66 005 037 856

45 Heales Road, Lara Victoria 3212

Telephone: +61 3 5275 6644

Fascimile: +61 3 5275 3333

Internet: www.airradiators.com.au

Email: mail@airrads.com.au

Contact your nearest Industrial Product Specialist:

Western Australia:

ADRAD Natra

231 Collier Road

Bayswater, WA 6053

Tel: 08 9473 4666

Fax: 08 9370 4600

Queensland:

ADRAD

11 Permarig Place

Rocklea, QLD 4106

Tel: 07 3272 7688

Fax: 07 3272 7829

New South Wales:

ADRAD

70 Long St

Smithfield, NSW 2164

Tel: 02 9729 2502

Fax: 02 9729 2503

South Australia and Northern Territory:

ADRAD

26 - 50 Howards Road

Beverley, SA 5009

Tel: 08 8243 9876

Fax: 08 8347 7245

Victoria and Tasmania:

ADRAD

5 Woolboard Road

Port Melbourne, VIC 3207

Tel: 03 9285 0777

Fax: 03 9646 2755

New Zealand:

ADRAD Nationals

35 - 41 Walls Road

Penrose, Auckland 1061

Tel: +64 9 5792604

Fax: +64 9 5251176